



# Ledgestone™

## Pillar Caps & Coping

1-800-UNILOCK | [UNILOCK.COM](http://UNILOCK.COM)

**UNILOCK**  
PAVERS & WALLS



# LEDGESTONE™ PILLAR CAPS & COPING

## STONEMARK™



BUFF



GREY

### PRODUCT ATTRIBUTES

Visual Appearance	Look and feel of Natural Stone.
Finish	Smooth top with rounded edges.

### PRODUCT SPECIFICATIONS

***SPECIAL ORDER. Min. qty's apply.***



**24" PILLAR CAP**  
24 x 24 x 3<sup>7</sup>/<sub>8</sub>"  
600 x 600 x 90mm



**29" PILLAR CAP**  
29 x 29 x 4"  
740 x 740 x 100mm



**COPING UNIT**  
12 x 24 x 2<sup>3</sup>/<sub>4</sub>"  
300 x 610 x 70mm



**CLOSED END COPING UNIT**  
12 x 24 x 2<sup>3</sup>/<sub>4</sub>"  
300 x 610 x 70mm



**FULLNOSE COPING UNIT**  
12 x 24 x 2<sup>3</sup>/<sub>8</sub>"  
300 x 610 x 60mm

### RECOMMENDED ADHESIVE



#### Gator Block Bond XP

- | VOC Compliant
- | Low odor- safe indoors or out
- | Fast curing- provides permanent overnight bond
- | Suitable for use in hot and cold environments
- | Non-shrinking- does not crack
- | Strong and versatile

**Coverage: For 1/4" Bead (approx)**

10 oz		28 oz	
m	ft.	m	ft.
-9	-31	-26	-86

## TECHNICAL INFORMATION

### ASTM C 1372 Standard Specifications for Dry-Cast Segmental Retaining Wall Units

Conforms to:

- C140 for Absorption and Compressive Strength > 3000 PSI
- C1262 for Freeze Thaw Durability <1% mass loss
- C1372 Overall dimensional variations permissible for width, height and length +/- 1/8" (+/-3.2mm)

**Unilock standards exceed 8,000 PSI for Ledgestone™ products with:**

- 4% absorption avg.
- 5% absorption max.
- Dimensional Accuracy +/- 5/64" (+/-2.00mm)

*Test results available upon request*

## LEED INFORMATION

### Materials & Resources: LEED V4:

Building Product Disclosure and Optimization

Sourcing of Raw Materials - Sourcing of Raw Materials and Extraction • **1 point**

Sourcing of Raw Materials - Leadership Extraction Practices • **1 point**

Material Ingredient Reporting - Material Ingredient Reporting • **1 point**

Material Ingredient Reporting - Material Ingredient Optimization • **1 point**

Environmental Product Declaration • **1 point**

## PRODUCT DATA

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
<b>Coping &amp; 24 x 24 Pillar Cap - Chicago Manufacturing, stocked in Ayr; Steps &amp; 29 x 29 Pillar Cap - Georgetown Manufacturing</b>										
Pillar Cap - 24" x 24"			-	-	5				159	795
Pillar Cap - 29" x 29"			-	-	5				302	1,510
Coping Closed-End 24"			24.00	2.000	12				66	796
Coping 24"			24.00	2.000	12				64	772
Fullnose Coping			26.00	2.000	13				42	667
Large Closed-End Coping			30	2.50	12				93	1,116
Large Coping			30	2.50	12				94	1,128

Notes: **Ledgestone Steps are sold in full bundles and on a refundable skid/Ledgestone Coping and 24"x24" Pillar Caps are sold on a non-refundable skid.** When applying adhesive to a pillar cap or coping unit, scoring the underside of the unit may increase the bond. All sales of this product are final and non-refundable. All measurements are nominal. Contact your Unilock Territory Manager or call 1-800-UNILOCK for further information. \*For custom options, please contact your Unilock Territory Manager.

### *\*Things to know:*

Handling and Installation - care must be taken to avoid tossing stones so that they bang against each other. Damage to the surface appearance can happen if handled too rough.