

PROMENADE™

UNILOCK®

TECH SHEET

THICKNESS 100MM

REGION MICHIGAN



EDGE
ROUNDED BEVEL EDGE







UNILOCK® Exclusive Technologies

■ ENDURACOLOR



APPLICATIONS

Note: Not all sizes are suitable for every application. Contact Unilock Representative for assistance.

<p>Borders and Accents</p> 	<p>Residential & Commercial Pedestrian Walkway, Patio, Terrace, PoolDeck, Entryway, Courtyard, RoofDeck, Plaza, Park, Sidewalk</p> 
<p>Commercial Vehicular</p> 	<p>Heavy Duty Vehicular</p> 
<p>Light Duty Vehicular</p> 	<p>Residential Driveway</p> 

COLORS

STEEL GREY BLEND FINISH: SMOOTH PREMIER



8"X24"
200mm x 600mm x 100mm
7 7/8" x 23 5/8" x 3 7/8"




4"X16"
100mm x 400mm x 100mm
3 7/8" x 15 3/4" x 3 7/8"



4"X12"
100mm x 300mm x 100mm
3 7/8" x 11 7/8" x 3 7/8"

OPAL BLEND SRI = 24 FINISH: SMOOTH PREMIER



4"X12"
100mm x 300mm x 100mm
3 7/8" x 11 7/8" x 3 7/8"



4"X16"
100mm x 400mm x 100mm
3 7/8" x 15 3/4" x 3 7/8"



8"X24"
200mm x 600mm x 100mm
7 7/8" x 23 5/8" x 3 7/8"

SANDSTONE
FINISH: SMOOTH PREMIER



4"X12"
100mm x 300mm x 100mm
3 7/8" x 11 7/8" x 3 7/8"

BLACK GRANITE
FINISH: SERIES - EXPOSED
GRANITE



4"X12"
100mm x 300mm x 100mm
3 7/8" x 11 7/8" x 3 7/8"



8"X24"
200mm x 600mm x 100mm
7 7/8" x 23 5/8" x 3 7/8"

LIGHT GREY
FINISH: IL CAMPO - BRUSHED



4"X12"
100mm x 300mm x 100mm
3 7/8" x 11 7/8" x 3 7/8"



8"X24"
200mm x 600mm x 100mm
7 7/8" x 23 5/8" x 3 7/8"

DARK CHARCOAL
FINISH: IL CAMPO - BRUSHED




4"X12"
100mm x 300mm x 100mm
3 7/8" x 11 7/8" x 3 7/8"



8"X24"
200mm x 600mm x 100mm
7 7/8" x 23 5/8" x 3 7/8"

GRANITE
FINISH: IL CAMPO - BRUSHED




4"X12"
100mm x 300mm x 100mm
3 7/8" x 11 7/8" x 3 7/8"




8"X24"
200mm x 600mm x 100mm
7 7/8" x 23 5/8" x 3 7/8"

JOINT SPACING = 4MM


LAYING PATTERNS




LP PROMENADE 8X24 HB C




LP PROMENADE MULTI UNIT
RANDOM G




LP PROMENADE 8X24 RB A




LP PROMENADE 4X12 HB I



LP PROMENADE 4X12 RB H




LP PROMENADE 4X16 RB A



LP PROMENADE 4X16 HB C

TYPICAL CROSS SECTION

Note: Base, screed bed, infill aggregates and or reinforcements may vary based on project requirements or as specified by engineer.



PACKAGING

	8"X24"	4"X12"	4"X16"	4"X12"
UNIT THICKNESS (MM)	100	100	100	80
LAYERS PER BUNDLE	5	5	5	8
SQ FT PER BUNDLE	51.67	58.13	51.67	93.04
SQ FT PER LAYER	10.33	11.63	10.33	11.63
SQ FT PER UNIT	1.29	0.32	0.43	0.32
UNITS PER BUNDLE	40	180	120	288
UNITS PER LAYER	8	36	24	36
LIN FT PER BUNDLE - SOLDIER	26.25	59.06	39.37	94.49
LIN FT PER LAYER - SOLDIER	5.25	11.81	7.87	11.81
LIN FT PER UNIT - SOLDIER	0.66	0.33	0.33	0.33
LIN FT PER BUNDLE - SAILOR	78.74	177.17	157.48	283.46
LIN FT PER LAYER - SAILOR	15.75	35.43	31.50	35.43
LBS PER BUNDLE	2,391	2,658.87	2,440	3,404.46
LBS PER LAYER	478.20	531.77	488	425.56
LBS PER UNIT	59.78	14.77	20.33	11.82

PROMENADE

Contact Unilock Representative for actual color samples and availability. Unilock reserves the right to change product information without notice.

PDF Generated April 19, 2024, 11:45 am

