

ROMANSTACK™ FIRE PIT

UNILOCK®

TECH SHEET

THICKNESS 400MM

REGION BOSTON



UNILOCK® Exclusive Technologies

■ CLASSIC COAT



APPLICATIONS


Note: Not all sizes are suitable for every application. Contact Unilock Representative for assistance.



Fire Features

COLORS

GRANITE
FINISH: ANTIQUED /
PROCESSED



ROUND W/INSERT
1,525mm x 1,525mm x 400mm
60" x 60" x 15 3/4"

ALMOND GROVE
FINISH: ANTIQUED /
PROCESSED



ROUND W/INSERT
1,525mm x 1,525mm x 400mm
60" x 60" x 15 3/4"


SIERRA
FINISH: ANTIQUED /
PROCESSED



ROUND W/INSERT
1,525mm x 1,525mm x 400mm
60" x 60" x 15 3/4"

TYPICAL CROSS SECTION

Note: Base, screed bed, infill aggregates and or reinforcements may vary based on project requirements or as specified by engineer.



PACKAGING

	ROUND W / INSERT
UNIT THICKNESS (MM)	400

Contact Unilock Representative for actual color samples and availability. Unilock reserves the right to change product information without notice.

PDF Generated May 4, 2024, 12:46 pm

