

REGION

BOSTON

IMAGE
UNAVAILABLE

Please contact your
Unilock
Representative for
assistance.

IMAGE
UNAVAILABLE

UNILOCK® Exclusive Technologies

■ CLASSIC COAT

IMAGE
UNAVAILABLE


Please contact your
Unilock
Representative for
assistance.

APPLICATIONS

Note: Not all sizes are suitable for every application. Contact Unilock Representative for assistance.



Fire Features




Garden Walls




Non structural Wall



Outdoor Kitchen




Pillars



Structural Wall



Water Features



Coping
WallCoping, StepTread




Step



Steps

COLORS

LIMESTONE
FINISH: CLASSIC



STANDARD
1,000mm x 180mm x 290mm
39 3/8" x 7" x 11 1/2"

PACKAGING

	STANDARD	COPING
UNIT THICKNESS (MM)	180	180
LAYERS PER BUNDLE	3	3
FCFT PER BUNDLE	23.25	23.25
FCFT PER LAYER	7.75	7.75
FCFT PER UNIT	1.94	1.94
LBS PER BUNDLE	3,086.45	3,086.45
LBS PER LAYER	1,028.82	1,028.82
LBS PER UNIT	257.20	257.20

INSTALLATION NOTES

SIENAEDGE™ Walls

SienaEdge is a modular concrete retaining wall system that is used to stabilize and contain earth embankments, large and small. The SienaEdge wall system is a fully-engineered, structural retaining wall system constructed as either a "gravity" wall (no geogrid) or a geogrid-reinforced wall. It can be used for applications up to 30ft (9m) or even higher with proper design. The ideally-sized block provides fast, efficient machine-placed installation, while still offering a manageable weight for manual maneuvering if required. It eliminates complex estimations and ordering with the innovative multifunction block design, integrating standards & corners into the same block. The closed-end Standard block is ideal for building corners, ending two-sided seat walls and is able to create both vertical or battered walls, all with one block.

Contact Unilock Representative for actual color samples and availability. Unilock reserves the right to change product information without notice.

PDF Generated September 27, 2023, 11:56 am

UNILOCK