

REGION NEW YORK



**UNILOCK** Exclusive Technologies

- CLASSIC COAT




## APPLICATIONS

Note: Not all sizes are suitable for every application. Contact Unilock Representative for assistance.



### Fire Features



### Garden Walls



### Non structural Wall


RetainingWall Under 3', SeatWall, Garden Walls, Water Features, Outdoor Kitchen, Fire Features, Pillars



### Outdoor Kitchen



### Pillars



### Structural Wall


RetainingWalls Over 3', CommunityEntranceWall, Amphitheatre



### Water Features


## COLORS

### GRANITE FINISH: CLASSIC



STANDARD

### ALMOND GROVE FINISH: CLASSIC



STANDARD


**SANDSTONE  
FINISH: CLASSIC**



**STANDARD**

### TYPICAL CROSS SECTION

Note: Base, screed bed, infill aggregates and or reinforcements may vary based on project requirements or as specified by engineer.



## PACKAGING

	STANDARD / CORNER	COPING
UNIT THICKNESS (MM)	180	180
LAYERS PER BUNDLE	3	3
FCFT PER BUNDLE	23.25	23.25
FCFT PER LAYER	7.75	7.75
FCFT PER UNIT	1.94	1.94
UNITS PER BUNDLE	12	12
UNITS PER LAYER	4	4
LBS PER BUNDLE	3,086.45	3,086.45
LBS PER LAYER	1,028.82	1,028.82
LBS PER UNIT	257.20	257.20

## INSTALLATION NOTES

---

### SIENAEDGE™ Walls

SienaEdge is a modular concrete retaining wall system that is used to stabilize and contain earth embankments, large and small. The SienaEdge wall system is a fully-engineered, structural retaining wall system constructed as either a "gravity" wall (no geogrid) or a geogrid-reinforced wall. It can be used for applications up to 30ft (9m) or even higher with proper design. The ideally-sized block provides fast, efficient machine-placed installation, while still offering a manageable weight for manual maneuvering if required. It eliminates complex estimations and ordering with the innovative multifunction block design, integrating standards & corners into the same block. The closed-end Standard block is ideal for building corners, ending two-sided seat walls and is able to create both vertical or battered walls, all with one block.

---

Contact Unilock Representative for actual color samples and availability. Unilock reserves the right to change product information without notice.

PDF Generated April 25, 2024, 12:08 pm

**UNILOCK**