



Natural Stone

Coping & Steps – Sandstone

1-800-UNILOCK | UNILOCK.COM

UNILOCK
PAVERS & WALLS

NATURAL STONE COPING

INDIAN COAST / GREYFIELD / STONECLIFF GREY - SANDSTONE



GREYFIELD

Available in Rock Face and Smooth



INDIAN COAST

Available in Rock Face and Smooth



STONECLIFF GREY

Available in Rock Face only

PRODUCT ATTRIBUTES

Visual Appearance	Unique and rich. Every stone has it's own colour and texture variation, ensuring a one-of-a-kind look for your project.
Finish	Riven surface, calibrated. All sides sawn.

PRODUCT SPECIFICATIONS



4' LENGTH

14 x 48 x 2"
360 x 1200 x 50mm




6' LENGTH

14 x 72 x 2"
360 x 1830 x 50mm

Natural Edge Coping (Smooth or Rock Face)

Stones & Bundling	Unit Thickness	SqFt/ Crate	Linear Ft/ Crate	Linear Ft/ Unit	Units/ Crate	Lbs/ Unit	Lbs/ Crate
14" x 48"	2" (50mm)	84	72	4	18	121	2,183
14" x 72"	2" (50mm)	84	72	6	12	159	1,905

**All Natural Stone is being stocked at our Barrie location.*



*Contact your Unilock Territory Manager for installation best practices or visit unilock.com and refer to Natural Stone- Installation Guidelines.

commercial.unilock.com/download/documents/technical-guides/

NATURAL STONE STEPS

INDIAN COAST / GREYFIELD / STONECLIFF GREY - SANDSTONE



GREYFIELD Available in Rock Face and Smooth



INDIAN COAST Available in Rock Face and Smooth



STONECLIFF GREY Available in Rock Face only

PRODUCT ATTRIBUTES

Visual Appearance	Unique and rich. Every stone has it's own colour and texture variation, ensuring a one-of-a-kind look for your project.
Finish	Riven surface, calibrated. All sides sawn.

PRODUCT SPECIFICATIONS



4' LENGTH
16 x 47¼ x 6"
410 x 1200 x 150mm




6' LENGTH
16 x 70¾ x 6"
410 x 1800 x 150mm

Steps

Stones & Bundling	Unit Thickness	SqFt/ Crate	Linear Ft/ Crate	Linear Ft/ Unit	Units/ Crate	Lbs/ Unit	Lbs/ Crate
16" x 48"	6" (150mm)	32	24	4	6	421.08	2,526
16" x 72"	6" (150mm)	32	24	6	4	628.31	2,513

**All Natural Stone is being stocked at our Barrie location.*



*Contact your Unilock Territory Manager for installation best practices or visit unilock.com and refer to Natural Stone- Installation Guidelines.

commercial.unilock.com/download/documents/technical-guides/