



Brussels Fullnose™

1-800-UNILOCK | UNILOCK.COM

UNILOCK
PAVERS & WALLS

BRUSSELS FULLNOSE™

CLASSIC



LIMESTONE



SANDSTONE



MIDNIGHT CHARCOAL

PRODUCT ATTRIBUTES

Visual Appearance	An antiqued block with a rounded edge used for steps, pools, pillars and more.
Finish	Weathered, antiqued, tumbled and smooth.

PRODUCT SPECIFICATIONS



STANDARD

5 $\frac{7}{8}$ x 11 $\frac{1}{8}$ x 2 $\frac{3}{4}$ "

150 x 300 x 70mm

PRODUCT DATA

Stones & Bundling	Unit	LnFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	Unit	Section	Bundle	Unit	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
Standard / Non-antiqued	2 $\frac{3}{4}$ " (70mm)	96.00	12.00	24.00	0.500	8	4	1.016	23.6	94.5	-	-	-	2.00	48	192	355	710	2,841

Notes: Non-antiqued available in full bundles only. All measurements are nominal. Contact your Unilock Territory Manager or call 1-800-UNILOCK for further information. *For custom options, please contact your Unilock Territory Manager.

RECOMMENDED ADHESIVE



Gator Block Bond XP

- VOC Compliant
- Low odor- safe indoors or out
- Fast curing- provides permanent overnight bond
- Suitable for use in hot and cold environments
- Non-shrinking- does not crack
- Strong and versatile

Coverage: For 1/4" Bead (approx)

10 oz		28 oz	
m	ft.	m	ft.
-9	-31	-26	-86

*Things to know:

Handling and Installation - care must be taken to avoid tossing stones so that they bang against each other. Damage to the surface appearance can happen if handled too rough.

LEDGESTONE™ PILLAR CAPS & COPING

STONEMARK™



BUFF



GREY

PRODUCT ATTRIBUTES

Visual Appearance	Look and feel of Natural Stone.
Finish	Smooth top with rounded edges.

PRODUCT SPECIFICATIONS

SPECIAL ORDER. Min. qty's apply.



24" PILLAR CAP
24 x 24 x 3 7/8"
600 x 600 x 90mm



29" PILLAR CAP
29 x 29 x 4"
740 x 740 x 100mm



COPING UNIT
12 x 24 x 2 3/4"
300 x 610 x 70mm



CLOSED END COPING UNIT
12 x 24 x 2 3/4"
300 x 610 x 70mm



FULLNOSE COPING UNIT
12 x 24 x 2 3/8"
300 x 610 x 60mm

RECOMMENDED ADHESIVE



Gator Block Bond XP

- | VOC Compliant
- | Low odor- safe indoors or out
- | Fast curing- provides permanent overnight bond
- | Suitable for use in hot and cold environments
- | Non-shrinking- does not crack
- | Strong and versatile

Coverage: For 1/4" Bead (approx)

10 oz		28 oz	
m	ft.	m	ft.
-9	-31	-26	-86