

PROMENADE™

UNILOCK

TECH SHEET

THICKNESS 80MM
REGION CHICAGO



EDGE
ROUNDED BEVEL EDGE

UNILOCK Exclusive Technologies

ENDURACOLOR



APPLICATIONS

Note: Not all sizes are suitable for every application. Contact Unilock Representative for assistance.



Driveway



Patio & Walkway


COLORS

ARCTIC GREY
FINISH: SERIES -
EXPOSED GRANITE



4"X12"
100mm x 300mm x 80mm
3 7/8" x 11 7/8" x 3 1/8"


NORDIC STAR
FINISH: SERIES -
EXPOSED GRANITE




4"X12"
100mm x 300mm x 80mm
3 7/8" x 11 7/8" x 3 1/8"

JOINT SPACING = 3MM


LAYING PATTERNS



LP SERIES 4X12 RB L PDF




LP SERIES 4X12 HB M PDF



LP SERIES 4X12 DHB N PDF

TYPICAL CROSS SECTION

Note: Base, screed bed, infill aggregates and or reinforcements may vary based on project requirements or as specified by engineer.



PACKAGING

	4"X12"
UNIT THICKNESS (MM)	80
LAYERS PER BUNDLE	8
SQ FT PER BUNDLE	93.04
SQ FT PER LAYER	11.63
SQ FT PER UNIT	0.32
UNITS PER BUNDLE	288
UNITS PER LAYER	36
LIN FT PER BUNDLE - SOLDIER	94.49
LIN FT PER LAYER - SOLDIER	11.81
LIN FT PER UNIT - SOLDIER	0.33
LIN FT PER BUNDLE - SAILOR	283.46
LIN FT PER LAYER - SAILOR	35.43
LBS PER BUNDLE	3,404.46
LBS PER LAYER	425.56
LBS PER UNIT	11.82

PROMENADE

Contact Unilock Representative for actual color samples and availability. Unilock reserves the right to change product information without notice.

PDF Generated April 18, 2025, 7:49 pm

