

ROMANSTACK™ FIRE PIT

UNILOCK®

TECH SHEET

THICKNESS 400MM

REGION NEW YORK



UNILOCK® Exclusive Technologies

CLASSIC COAT



APPLICATIONS

Note: Not all sizes are suitable for every application. Contact Unilock Representative for assistance.



Fire Feature


COLORS

ALMOND GROVE FINISH: ANTIQUED / PROCESSED



ROUND W/INSERT
1,525mm x 1,525mm x 400mm
60" x 60" x 15 3/4"

GRANITE FINISH: ANTIQUED / PROCESSED



ROUND W/INSERT
1,525mm x 1,525mm x 400mm
60" x 60" x 15 3/4"


SIERRA FINISH: ANTIQUED / PROCESSED



ROUND W/INSERT
1,525mm x 1,525mm x 400mm
60" x 60" x 15 3/4"

TYPICAL CROSS SECTION

Note: Base, screed bed, infill aggregates and or reinforcements may vary based on project requirements or as specified by engineer.



PACKAGING

	ROUND W / INSERT
UNIT THICKNESS (MM)	400

INSTALLATION NOTES

Contact Unilock Representative for actual color samples and availability. Unilock reserves the right to change product information without notice.

PDF Generated December 22, 2024, 12:25 pm

