



# 2016 PRODUCT DATA



**UNILOCK®**  
DESIGNED TO CONNECT.™

# THE Unilock® DIFFERENCE

WHEN HELD, TOUCHED AND VIEWED SIDE BY SIDE, UNILOCK PRODUCTS LOOK AND FEEL DIFFERENT, AND SET THE STANDARD FOR QUALITY.



For over 40 years we've been committed to investing in the future of landscape design. Today, we continue to lead the industry with the best selection of quality products and support. We've made this commitment because at Unilock, we believe that the outside of your home should be as beautiful, functional and welcoming as the inside of your home. So, it's no surprise more families are choosing to work with architects, designers and craftsmen who recommend our products.

If you're planning to landscape your home, we're confident that you'll be inspired by all that Unilock has to offer.


## ENDURING COLOR

Concentrated color and special wear-resistant materials

## UNITED WITH

## STRENGTH

Coarser foundation that gives the stone its strength



## ENDURACOLOR™

EnduraColor products deliver durability through a perfect union: **long-lasting color united with permanent strength.**

The top portion of each stone is engineered with concentrated color and special wear-resistant materials. This is permanently united with the stone's base - a sturdier, coarser foundation designed for remarkable strength.

## ENDURACOLOR™ PLUS ARCHITECTURAL FINISHES

EnduraColor™ Plus Architectural Finishes promise long-lasting beauty through a proprietary blend of exclusive and superior ingredients.

### WHAT IS THE 'PLUS' IN ENDURACOLOR PLUS?

A complex blend of granite and quartz, some of nature's highest performing minerals, are combined to create ultra-realistic surface textures and unique style options that are exceptionally durable.

### A NEW STANDARD FOR EVERLASTING BEAUTY.

This symbol indicates that the product facilitates the flow of water from the surface into the joints and into the ground below. Unilock's exclusive line of permeable pavement products are recognized and awarded with internationally accepted Leadership in Energy and Environmental Design (LEED) credits required by the Green Building Rating System™ to certify green building construction.



### LOOK FOR THESE ADDITIONAL TECHNOLOGIES IN ENDURACOLOR PLUS ARCHITECTURAL FINISHES:

#### Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

#### ColorFusion™ Technology

A proprietary technology that disperses color randomly for a natural, granite-like appearance.

#### EasyClean™ Stain Resistance

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.

#### Ultima™ Concrete Technology

For heavy traffic loads, this proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

# TABLE OF CONTENTS

SENZO™



**New**  
for 2016

19

BELMURO™ WALL



**New**  
for 2016

27

## PAGE PAVERS

2	Ada Paver™
2	Anchorlock®
3	Artline™
4	Avante Ashlar™
4	Beacon Hill Flagstone™
5	Bristol Valley™
6	Brussels Block®
6	Brussels Premier™
7	Camelot™
7	Copthorne®
8	Courtstone®
9	Eco-Line™
9	Eco-Optiloc™
10	Eco-Priora™
11	Eco-Promenade™
12	Holland Premier™
12	Hollandstone™
13	Il Campo®
14	Natural Stone
15	Olde Greenwich Cobble®
15	Optiloc®
16	Porcelain
17	Promenade Paver™
17	Richcliff®
18	Richcliff® XL <b>NEW</b>
18	Rivenstone™
19	Senzo™ <b>NEW</b>
20	Series 3000®
21	Stonehenge®
21	Thornbury™
22	Torino™
22	Town Hall™
23	Trevia™
23	Turfstone™
24	Umbriano®
25	Unigranite®
25	Yorkstone™
26	Westport™ <b>NEW</b>

## PAGE VERTICAL ELEMENTS

27	Belmuro™ Wall <b>NEW</b>
28	Brussels Dimensional Stone®
29	Brussels Fullnose™
29	6" x 12" Fullnose <b>NEW</b>
30	DuraHold®
31	Estate Wall®
32	Ledgestone™ Pillar Cap, Coping, Fullnose & Steps
33	Lineo™ Dimensional Stone
34	Olde Quarry®
35	Pisa2®
36	Rivercrest® Wall
38	SienaStone®
39	Fire Pit Kits - Sunset and Rivercrest®

## PAGE ACCESSORIES & INSTALLATION

40	Laying Patterns
43	Elements By Harmony®
46	Cleaners, Sealers & Accessories
51	Accessory Quick Reference Guide
52	Calculations
52	Sealer Best Practices
53	Easy-Pro™ & Polysand Best Practices
54	Terms & Conditions
54	Freight Rates
55	Important Notes
56	Color Blends
57	Product Directory

Unilock contact information  
1-800-Unilock  
Orders@Unilock.com  
Customer Service Fax #: 630-892-2066

## ADA PAVER™

Special Order / Non-Stock



CHARCOAL



RED



STANDARD  
12" x 12" x 2<sup>3</sup>/<sub>4</sub>"  
30cm x 30cm x 7cm

**SPECIAL ORDER**

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard 12" x 12"	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.04	11.63	23.26	0.969	8	4	0.985	23.6	94.5	-	-	-	1.03	24	96	395	790	3,160

Notes: **Sold in full bundles only.** Special Order for standard colors - Lead time required. Minimum quantities apply. All measurements are nominal.

Internal Use Only. ADA CH

## ANCHORLOCK®

Special Order / Non-Stock



STANDARD FINISH  
CUSTOM FINISH  
AVAILABLE



ANCHORLOCK®  
8<sup>7</sup>/<sub>8</sub>" x 8<sup>7</sup>/<sub>8</sub>" x 3<sup>1</sup>/<sub>8</sub>"  
22.5cm x 22.5cm x 8cm

**SPECIAL ORDER**



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	3 <sup>1</sup> / <sub>8</sub> " (8cm)	86.72	10.84	-	0.417	8	-	-	-	-	-	-	-	2.40	-	208	374	-	2,991
Anchorlock 1/3 Stone	3 <sup>1</sup> / <sub>8</sub> " (8cm)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	-

Notes: **Sold in full bundles only.** Special Order for standard colors - Lead time required. Minimum quantities apply. This product is optimized for mechanical installation. 1/3 stones incorporated within the standard bundle - 1/3 stone not shown. All measurements are nominal.

Internal Use Only. ANC CH



## SMOOTH FINISH



BAVARIAN BLEND



STEEL MOUNTAIN



COPPER RIDGE

## PRODUCT TECHNOLOGY

EasyClean™  
Stain Resistance

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.

## ANTIQUED FINISH



BAVARIAN BLEND



STEEL MOUNTAIN



COPPER RIDGE

Unit A	Unit B	Unit C	Unit D
6¾" x 4⅞" x 2¾" 16.9cm x 12.5cm x 7cm	10⅜" x 4⅞" x 2¾" 26.25cm x 12.5cm x 7cm	13⅜" x 4⅞" x 2¾" 33.75cm x 12.5cm x 7cm	17¾" x 4⅞" x 2¾" 45cm x 12.5cm x 7cm
Unit E	Unit F	Unit G	
8⅞" x 7½" x 2¾" 22.5cm x 18.75cm x 7cm	13⅜" x 7½" x 2¾" 33.75cm x 18.75cm x 7cm	17¾" x 7½" x 2¾" 45cm x 18.75cm x 7cm	

Individual units cannot be sold separately

Random Bundle



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
<b>Random Bundle</b>	-	93.25	11.66	-	-	8	-	-	-	-	-	-	-	-	-	192	370	-	2,963
Unit A	2¾" (7cm)	-	-	-	0.227	-	-	-	-	-	-	-	-	4.40	-	32	-	-	-
Unit B	2¾" (7cm)	-	-	-	0.353	-	-	-	-	-	-	-	-	2.83	-	32	-	-	-
Unit C	2¾" (7cm)	-	-	-	0.454	-	-	-	-	-	-	-	-	2.20	-	32	-	-	-
Unit D	2¾" (7cm)	-	-	-	0.605	-	-	-	-	-	-	-	-	1.65	-	32	-	-	-
Unit E	2¾" (7cm)	-	-	-	0.454	-	-	-	-	-	-	-	-	2.20	-	32	-	-	-
Unit F	2¾" (7cm)	-	-	-	0.681	-	-	-	-	-	-	-	-	1.47	-	16	-	-	-
Unit G	2¾" (7cm)	-	-	-	0.908	-	-	-	-	-	-	-	-	1.10	-	16	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Antique, Smooth and Umbriano finish offer EasyClean™ Stain Resistance technology. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

TO CREATE A ONE-OF-A-KIND CUSTOM LOOK, ARTLINE IS ALSO AVAILABLE IN THESE FINISHES:

## IL CAMPO® FINISH



BAVARIAN BLEND

## IL CAMPO® FINISH

GRANITE  
NEW FOR 2016

## SERIES 3000® FINISH

MINERAL ICE GREY  
NEW FOR 2016

## UMBRIANO® FINISH

WINTER MARVEL  
NEW FOR 2016







ALMOND GROVE



SHADOW CREEK



				Random Bundle Individual units cannot be sold separately
UNIT A 11 <sup>1</sup> / <sub>2</sub> " x 19" x 2 <sup>3</sup> / <sub>4</sub> " 29cm x 48.5cm x 7cm	UNIT B 11 <sup>1</sup> / <sub>2</sub> " x 19" x 2 <sup>3</sup> / <sub>4</sub> " 29cm x 48.5cm x 7cm	UNIT C 11 <sup>1</sup> / <sub>2</sub> " x 19" x 2 <sup>3</sup> / <sub>4</sub> " 29cm x 48.5cm x 7cm	UNIT D 11 <sup>1</sup> / <sub>2</sub> " x 19" x 2 <sup>3</sup> / <sub>4</sub> " 29cm x 48.5cm x 7cm	

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle		90.75	11.34	-	-	8	-	-	-	-	-	-	-	-	-	64	331	-	2,644
Unit A	2 3/4" (7cm)	-	-	-	1.418	-	-	-	-	-	-	-	-	0.71	-	16	-	-	-
Unit B	2 3/4" (7cm)	-	-	-	1.418	-	-	-	-	-	-	-	-	0.71	-	24	-	-	-
Unit C	2 3/4" (7cm)	-	-	-	1.418	-	-	-	-	-	-	-	-	0.71	-	8	-	-	-
Unit D	2 3/4" (7cm)	-	-	-	1.418	-	-	-	-	-	-	-	-	0.71	-	16	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.


Internal Use Only. AVT CH

# BEACON HILL FLAGSTONE™

Stocked at Aurora, Elkhorn & Marengo



ALPINE GREY




BAVARIAN BLEND



SYCAMORE



			<b>Random Bundle</b> Individual units cannot be sold separately
<b>LARGE RECTANGLE</b> 21 <sup>1</sup> / <sub>4</sub> " x 14 <sup>1</sup> / <sub>8</sub> " x 2 <sup>3</sup> / <sub>8</sub> " 54cm x 36cm x 6cm	<b>SQUARE</b> 14 <sup>1</sup> / <sub>8</sub> " x 14 <sup>1</sup> / <sub>8</sub> " x 2 <sup>3</sup> / <sub>8</sub> " 36cm x 36cm x 6cm	<b>SMALL RECTANGLE</b> 7 <sup>1</sup> / <sub>16</sub> " x 14 <sup>1</sup> / <sub>8</sub> " x 2 <sup>3</sup> / <sub>8</sub> " 18cm x 36cm x 6cm	

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle		104.00	10.40	-	-	10	-	-	-	-	-	-	-	-	-	80	272	-	2,720
Large Rectangle	2 3/8" (6cm)	-	-	-	2.093	-	-	-	-	-	-	-	-	0.48	-	20	-	-	-
Square	2 3/8" (6cm)	-	-	-	1.395	-	-	-	-	-	-	-	-	0.72	-	30	-	-	-
Small Rectangle	2 3/8" (6cm)	-	-	-	0.698	-	-	-	-	-	-	-	-	1.43	-	30	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** **Product is not intended for vehicular applications.** **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BHF CH



BAVARIAN BLEND



STEEL MOUNTAIN






COPPER RIDGE

### PRODUCT TECHNOLOGY

#### EasyClean™ Stain Resistance

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.



			Random Bundle Individual units cannot be sold separately
LARGE RECTANGLE 21¼" x 14½" x 2⅝" 54cm x 36cm x 6cm	SQUARE 14½" x 14½" x 2⅝" 36cm x 36cm x 6cm	SMALL RECTANGLE 7½" x 14½" x 2⅝" 18cm x 36cm x 6cm	

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
<b>Random Bundle</b>		104.00	10.40	-	-	10	-	-	-	-	-	-	-	-	-	80	293	-	2,929
Large Rectangle	2⅝" (6cm)	-	-	-	2.093	-	-	-	-	-	-	-	-	0.48	-	20	-	-	-
Square	2⅝" (6cm)	-	-	-	1.395	-	-	-	-	-	-	-	-	0.72	-	30	-	-	-
Small Rectangle	2⅝" (6cm)	-	-	-	0.698	-	-	-	-	-	-	-	-	1.43	-	30	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Product is not intended for vehicular applications.**

**Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BRV ON



## BRUSSELS BLOCK®

Stocked at Aurora & Elkhorn



COFFEE CREEK



LIMESTONE



PRAIRIE



SANDSTONE



SIERRA



XL STONE  
8<sup>1</sup>/<sub>4</sub>" x 13<sup>3</sup>/<sub>4</sub>" x 2<sup>3</sup>/<sub>4</sub>"  
20.8cm x 34.8cm x 7cm



STANDARD STONE  
6<sup>7</sup>/<sub>8</sub>" x 8<sup>1</sup>/<sub>4</sub>" x 2<sup>3</sup>/<sub>4</sub>"  
17.5cm x 20.8cm x 7cm



HALF STONE  
4<sup>1</sup>/<sub>8</sub>" x 6<sup>7</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>4</sub>"  
10.4cm x 17.5cm x 7cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
XL	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.86	9.386	31.29	0.782	10	3	1.146	27.3	81.9	-	-	-	1.28	40	120	310	1,032	3,097
Standard	2 <sup>3</sup> / <sub>4</sub> " (7cm)	94.91	11.86	15.82	0.395	8	6	0.697	22.7	136.2	-	-	-	2.53	40	240	382	509	3,056
Half	2 <sup>3</sup> / <sub>4</sub> " (7cm)	88.70	11.09	12.67	0.198	8	7	0.580	21.8	152.9	-	-	-	5.05	64	448	355	406	2,840

Notes: XL Unit can also be used as a coping or step tread. Please see page 29 for Brussels Fullnose™ and 6"x12" Fullnose packaging information. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BBK CH

## BRUSSELS PREMIER™

Stocked at Aurora & Elkhorn

ENDURACOLOR™




ALPINE GREY



BAVARIAN BLEND



SYCAMORE



XL STONE  
8<sup>1</sup>/<sub>4</sub>" x 13<sup>3</sup>/<sub>4</sub>" x 2<sup>3</sup>/<sub>4</sub>"  
20.8cm x 34.8cm x 7cm



STANDARD STONE  
6<sup>7</sup>/<sub>8</sub>" x 8<sup>1</sup>/<sub>4</sub>" x 2<sup>3</sup>/<sub>4</sub>"  
17.5cm x 20.8cm x 7cm



HALF STONE  
4<sup>1</sup>/<sub>8</sub>" x 6<sup>7</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>4</sub>"  
10.4cm x 17.5cm x 7cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
XL	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.86	9.39	31.29	0.782	10	3	1.146	27.3	81.9	-	-	-	1.28	40	120	310	1,032	3,097
Standard	2 <sup>3</sup> / <sub>4</sub> " (7cm)	94.91	11.86	15.82	0.395	8	6	0.697	22.7	136.2	-	-	-	2.53	40	240	382	509	3,056
Half	2 <sup>3</sup> / <sub>4</sub> " (7cm)	88.70	11.09	12.67	0.198	8	7	0.580	21.8	152.9	-	-	-	5.05	64	448	355	406	2,840

Notes: **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BPR CH



# CAMELOT™

Stocked at Aurora & Elkhorn



AUTUMN RED



SIERRA



FIELDSTONE



CHARCOAL  
Available in Large  
Rectangle shape only



LARGE RECTANGLE  
6<sup>1</sup>/<sub>4</sub>" x 9<sup>1</sup>/<sub>2</sub>" x 3<sup>1</sup>/<sub>8</sub>"  
16cm x 24cm x 8cm



SQUARE  
6<sup>1</sup>/<sub>4</sub>" x 6<sup>1</sup>/<sub>4</sub>" x 3<sup>1</sup>/<sub>8</sub>"  
16cm x 16cm x 8cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Large Rectangle	3 <sup>1</sup> / <sub>8</sub> " (8cm)	74.40	12.4	14.88	0.413	6	5	0.787	18.9	94.5	-	-	-	2.42	36	180	453	543	2,717
Square	3 <sup>1</sup> / <sub>8</sub> " (8cm)	81.20	11.6	11.60	0.276	7	7	0.526	22.0	154.3	-	-	-	3.62	42	294	422	422	2,954

Notes: **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. CAM CH

# COPTHORNE®

Stocked at Aurora & Elkhorn

ENDURACOLOR  
PLUS ARCHITECTURAL FINISHES



BURGUNDY RED



BURNT CLAY



OLD OAK



BASALT



STANDARD  
2<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>8</sub>"  
6.5cm x 20cm x 6cm

## PRODUCT TECHNOLOGY

### Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

### Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	2 <sup>3</sup> / <sub>8</sub> " (6cm)	89.20	11.15	-	0.149	8	-	0.697	-	127.9	-	-	-	6.73	-	600	294	-	2,349

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important:** A urethane rubber paver mat must be used to prevent scuffing. Refer to the Polymeric Sand Best Practices on pages 53 and 56 for Important Notice. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. COP ON



BASALT



BELGIAN BLUE



DAWN MIST



PEBBLE TAUPE

BASALT/  
BELGIAN BLUE  
Sold Separately/  
Blended on SiteDAWN MIST/  
PEBBLE TAUPE  
Sold Separately/  
Blended on Site

## PRODUCT TECHNOLOGY

## Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

## Ultima™ Concrete Technology

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

XL  
RECTANGLE  
5 1/8" x 8 3/8" x 2 3/8"  
13cm x 21.5cm x  
6cmLARGE  
RECTANGLE  
5 1/8" x 7 1/4" x 2 3/8"  
13cm x 18.5cm x  
6cmRECTANGLE  
5 1/8" x 6 1/2" x 2 3/8"  
13cm x 16.5cm x  
6cmSMALL  
RECTANGLE  
5 1/8" x 5 3/4" x 2 3/8"  
13cm x 14.5cm x  
6cmSQUARE  
5 1/8" x 5 1/8" x 2 3/8"  
13cm x 13cm x  
6cm

Random Bundle  
Individual units cannot  
be sold separately




Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
<b>Random Bundle</b>		98.30	12.29	-	-	8	-	-	-	-	-	-	221.5	-	-	384	291	-	2,326
XL Rectangle	2 3/8" (6cm)	-	-	-	0.301	-	-	-	-	-	0.427	-	90.3	3.32	-	128	-	-	-
Large Rectangle	2 3/8" (6cm)	-	-	-	0.259	-	-	-	-	-	0.427	-	38.8	3.86	-	64	-	-	-
Rectangle	2 3/8" (6cm)	-	-	-	0.231	-	-	-	-	-	0.427	-	34.6	4.33	-	64	-	-	-
Small Rectangle	2 3/8" (6cm)	-	-	-	0.203	-	-	-	-	-	0.427	-	30.4	4.93	-	64	-	-	-
Square	2 3/8" (6cm)	-	-	-	0.182	-	-	-	-	-	0.427	-	27.3	5.50	-	64	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** Refer to the Polymeric Sand Best Practices on pages 53 and 56 for Important Notice. All measurements are nominal. Contact Unilock for more information.


Internal Use Only. CRT ON



STANDARD FINISH



IL CAMPO® FINISH




SERIES 3000® FINISH



UMBRIANO® FINISH

## SPECIAL ORDER

UNIT A  
14" x 3 5/8" x 4"  
35.7cm x 8.4cm x  
10cmUNIT B  
12 1/2" x 3 5/8" x 4"  
31.7cm x 8.4cm  
x 10cmUNIT C  
11" x 3 5/8" x 4"  
27.7cm x 8.4cm  
x 10cmUNIT D  
9 3/8" x 3 5/8" x 4"  
23.7cm x 8.4cm  
x 10cmUNIT E  
14" x 4 1/2" x 4"  
35.7cm x 11.4cm  
x 10cmUNIT F  
12 1/2" x 4 1/2" x 4"  
31.7cm x 11.4cm  
x 10cmUNIT G  
11" x 4 1/2" x 4"  
27.7cm x 11.4cm  
x 10cmUNIT H  
9 3/8" x 4 1/2" x 4"  
23.7cm x 11.4cm  
x 10cm

Individual units cannot be sold separately

Random Bundle



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
<b>Random Bundle</b>		55.17	11.03	-	-	5	-	-	-	-	-	-	-	-	-	160	512.8	-	2,564
Unit A	4" (10cm)	-	-	-	0.323	-	-	-	-	-	-	-	-	3.10	-	20	-	-	-
Unit B	4" (10cm)	-	-	-	0.287	-	-	-	-	-	-	-	-	3.49	-	20	-	-	-
Unit C	4" (10cm)	-	-	-	0.250	-	-	-	-	-	-	-	-	3.99	-	20	-	-	-
Unit D	4" (10cm)	-	-	-	0.214	-	-	-	-	-	-	-	-	4.67	-	20	-	-	-
Unit E	4" (10cm)	-	-	-	0.438	-	-	-	-	-	-	-	-	2.28	-	20	-	-	-
Unit F	4" (10cm)	-	-	-	0.389	-	-	-	-	-	-	-	-	2.57	-	20	-	-	-
Unit G	4" (10cm)	-	-	-	0.340	-	-	-	-	-	-	-	-	2.94	-	20	-	-	-
Unit H	4" (10cm)	-	-	-	0.291	-	-	-	-	-	-	-	-	3.44	-	20	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Custom finish and color options are available. Special order lead time is required, minimum quantities apply. **Important: A urethane rubber paver mat must be used to prevent scuffing.** For permeable installations, Unilock recommends using Easy-Pro™ or granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.


Internal Use Only. EOL ON




STANDARD FINISH



PREMIER FINISH



IL CAMPO® FINISH



SERIES 3000® FINISH

STANDARD  
10 1/4" x 10 1/4" x 3 1/8"  
26cm x 26cm x 8cm  
**SPECIAL ORDER**

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	3 1/8" (8cm)	84.40	10.55	-	0.502	8	-	-	-	-	-	-	-	1.99	-	168	363	-	2,908


Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Custom finish and color options are available. Special order - lead time is required, minimum quantities apply. **Important: A urethane rubber paver mat must be used to prevent scuffing.** This product is optimized for mechanical installation. For permeable installations, Unilock recommends using granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. EOP CH





HERITAGE BROWN  
Available in 5' x 10' only



LARGE SQUARE  
10" x 10" x 3/8"  
24cm x 24cm x 8cm

**SPECIAL ORDER**



RECTANGLE  
5" x 10" x 3/8"  
12cm x 24cm x 8cm



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
10" x 10" *	3/8" (8cm)	86.60	12.37	-	0.619	7	-	0.786	-	110.2	-	-	-	1.62	-	140	443	-	3,099
5" x 10"	3/8" (8cm)	74.59	10.66	-	0.304	7	-	0.773	-	96.5	-	-	-	3.29	-	245	381	-	2,669
Herringbone Bndl*	3/8" (8cm)	74.59	10.66	-	0.300	7	-	0.761	-	98.0	-	-	-	3.34	-	249	381	-	2,669

Notes: \*Special Order - Lead time is required, minimum quantities apply. **Sold in full bundles only. Herringbone bundle is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** For permeable installations, Unilock recommends using Easy-Pro™ or granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. EPA CH

## ECO-PRIORA™ Standard &amp; Antiqued Finish



Stocked at Aurora, Elkhorn & Marengo



RIVER  
STANDARD FINISH




SIERRA  
STANDARD FINISH



SIERRA  
ANTIQUED FINISH  
**NEW FOR 2016**  
Available in 5'x10' only



RIVER  
ANTIQUED FINISH  
**NEW FOR 2016**  
Available in 5'x10' only



LARGE SQUARE  
10" x 10" x 3/8"  
24cm x 24cm x 8cm  
Standard Finish only



RECTANGLE  
5" x 10" x 3/8"  
12cm x 24cm x 8cm



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
10" x 10"	3/8" (8cm)	86.60	12.37	-	0.619	7	-	0.786	-	110.2	-	-	-	1.62	-	140	443	-	3,099
5" x 10"	3/8" (8cm)	74.59	10.66	-	0.304	7	-	0.773	-	96.5	-	-	-	3.29	-	245	381	-	2,669
Herringbone Bndl*	3/8" (8cm)	74.59	10.66	-	0.300	7	-	0.761	-	98.0	-	-	-	3.34	-	249	381	-	2,669


Notes: \*Special Order - Lead time is required, minimum quantities apply. **Sold in full bundles only. Herringbone bundle is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** For permeable installations, Unilock recommends using EasyPro™ or Granite Chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. EPA CH






PREMIER FINISH



IL CAMPO® FINISH



SERIES 3000® FINISH



UMBRIANO® FINISH



3" x 12" x 4"  
7.5cm x 30cm x 10cm

**SPECIAL ORDER**

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
3" x 12" Permeable	4" (10cm)	63.94	10.66	-	.242	6	-	-	-	-	-	-	-	4.13	-	-	465	-	2788

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Custom finish and color options are available. Special order - lead time is required, minimum quantities apply. **Important: A urethane rubber paver mat must be used to prevent scuffing.** For permeable installations, Unilock recommends using Easy-Pro™ or granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. ECP CH

## HOLLAND PREMIER™ 6CM

Stocked at Aurora & Elkhorn

ENDURACOLOR™



CHARLESTON



GRANITE



HERITAGE BROWN



RIVER




SIERRA



BROWN



STANDARD  
4" x 8" x 2<sup>3</sup>/<sub>8</sub>"  
10cm x 20cm x 6cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	2 <sup>3</sup> / <sub>8</sub> " (6cm)	117.90	11.79	-	0.218	10	-	0.665	-	177.2	-	-	-	4.58	-	540	306.5	-	3,065

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. HPR CH

## HOLLANDSTONE™

Stocked at Aurora & Elkhorn



AUTUMN RED



CHARCOAL



PRAIRIE



RED



RIVER



RUSTIC RED



SIERRA



HOLLANDSTONE  
4" x 8" x 2<sup>3</sup>/<sub>8</sub>"  
10cm x 20cm x 6cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	2 <sup>3</sup> / <sub>8</sub> " (6cm)	117.90	11.79	19.65	0.218	10	6	0.665	29.5	177.2	-	-	-	4.58	90	540	306.5	511	3,065
Heavy Duty*	3 <sup>1</sup> / <sub>8</sub> " (8cm)	82.50	11.79	13.75	0.218	7	6	0.665	20.7	124.0	-	-	-	4.58	63	378	423	493	2,960

Notes: \*Special Order - Lead time is required, minimum quantities apply, sold in full bundles only. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. HOL CH



BAVARIAN BLEND



COFFEE CREEK




HERITAGE BROWN




OAKWOOD  
Available in 4"x8"  
only

## ARTLINE SIZES AVAILABLE, SEE PAGE 3


BAVARIAN BLEND  
NEW FOR 2016

GRANITE  
NEW FOR 2016

24" x 24" x 2 3/4"  
60cm x 60cm x 7cm  
SPECIAL ORDER

12" x 24" x 2 3/4"  
30cm x 60cm x 7cm  
SPECIAL ORDER

6" x 24" x 2 3/4"  
15cm x 60cm x 7cm  
SPECIAL ORDER

12" x 12" x 2 3/4"  
30cm x 30cm x 7cm

6" x 12" x 2 3/4"  
15cm x 30cm x 7cm

4" x 8" x 2 3/4"  
10cm x 20cm x 7cm

6" x 8" x 2 3/4"  
15cm x 20cm x 7cm

6" x 6" x 2 3/4"  
15cm x 15cm x 7cm

4" x 6" x 2 3/4"  
10cm x 15cm x 7cm

Random Bundle  
Individual units cannot  
be sold separately

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
24"x24" *	2 3/4" (7cm)	62.00	7.75	-	3.875	8	-	1.969	-	31.5	-	-	-	0.26	-	16	248	-	1,985
12"x24" *	2 3/4" (7cm)	93.00	11.63	-	1.938	8	-	1.969	-	47.2	-	-	-	0.52	-	48	372	-	2,978
6"x24" *	2 3/4" (7cm)	93.00	11.63	-	0.969	8	-	1.969	-	47.2	-	-	-	1.03	-	96	372	-	2,978
12"x12"	2 3/4" (7cm)	93.04	11.63	23.26	0.969	8	4	0.985	23.6	94.5	-	-	-	1.03	24	96	373	745	2,980
6"x12"	2 3/4" (7cm)	93.04	11.63	23.26	0.485	8	4	0.985	23.6	94.5	-	-	-	2.06	48	192	382	764	3,056
4"x8"	2 3/4" (7cm)	106.11	11.79	17.69	0.218	9	6	0.655	27.0	162.0	-	-	-	4.58	81	486	362	543	3,261
Random Bundle	-	89.12	11.14	-	-	8	-	-	-	154.9	-	-	-	-	-	336	376	-	3,008
6" x 8"	2 3/4" (7cm)	-	-	-	0.323	-	-	0.656	-	78.7	-	-	-	3.10	-	160	-	-	-
6" x 6"	2 3/4" (7cm)	-	-	-	0.242	-	-	0.492	-	55.1	-	-	-	4.13	-	112	-	-	-
4" x 6"	2 3/4" (7cm)	-	-	-	0.161	-	-	0.492	-	21.0	-	-	-	6.19	-	64	-	-	-

Notes: \*Special Order - Lead time is required, minimum quantities apply. Random bundle is sold in full bundles only. Important: A urethane rubber paver mat must be used to prevent scuffing. Please refer to Sealer Best Practices on page 52 and 56 for Important Notice. All measurements are nominal. Contact Unilock for more information.



# NATURAL STONE

Stocked at Marengo

## SANDSTONE



AUTUMN HARVEST



STONE CLIFF GREY



INDIAN COAST

## LIMESTONE




BLACK RIVER




WINTER MIST


## SLABS




24" x 36" x 7/8"  
60cm x 90cm  
x 2.2cm



24" x 24" x 7/8"  
60cm x 60cm  
x 2.2cm



18" x 24" x 7/8"  
45cm x 60cm  
x 2.2cm




12" x 24" x 7/8"  
30cm x 60cm  
x 2.2cm



Stones & Bundling	Unit	SqFt Per		Units Per		Lbs Per	
	Thickness	Crate	Stone	SqFt	Crate	Unit	Crate
Slabs							
24" x 36"	.87" (2.2cm)	180	6	0.1720	30	71.64	2,149
24" x 24"	.87" (2.2cm)	160	4	0.2581	40	47.76	1,910
18" x 24"	.87" (2.2cm)	186	3	0.3441	62	35.82	2,221
12" x 24"	.87" (2.2cm)	180	2	0.5161	90	23.88	2,149

## NATURAL EDGE COPING


AVAILABLE IN:  
Autumn Harvest\*  
Black River  
Indian Coast\*  
Stone Cliff Grey\*



12" x 48" x 2"  
30cm x 120cm x 5cm

## 4' FULLNOSE COPING


AVAILABLE IN:  
Autumn Harvest\*  
Indian Coast\*  
Stone Cliff Grey\*



12" x 48" x 2"  
30cm x 120cm x 5cm

## 6' FULLNOSE COPING


AVAILABLE IN:  
Indian Coast\*



12" x 72" x 2"  
30cm x 182cm x 5cm

## NATURAL EDGE STEP

AVAILABLE IN:  
Black River  
Indian Coast\*



16" x 48" x 6"  
15cm x 120cm x 15cm

## 24" PILLAR CAP

AVAILABLE IN:  
Black River\*



24" x 24" x 2.5"  
60 cm x 60cm x 6.4cm

## 28" PILLAR CAP

AVAILABLE IN:  
Black River\*



28" x 28" x 2.5"  
71cm x 71cm x 6.4cm

\* NEW FOR 2016

	Unit	LnFt Per		Units Per	Lbs Per	
Stones & Bundling	Thickness	Crate	Stone	Crate	Unit	Crate
Copings, Step & Pillar Caps						
Natural Edge Coping	2" (5cm)	80	4	20	105.82	2,116
4' Fullnose Coping	2" (5cm)	80	4	20	105.82	2,116
6' Fullnose Coping	2" (5cm)	72	6	12	158.73	1,905
Natural Edge Step	6" (15cm)	24	4	6	421.08	2,526
24" Pillar Cap	2.5" (6.4cm)	-	-	14	136.7	1,914
28" Pillar Cap	2.5" (6.4cm)	-	-	10	200.2	2,002

Notes: **Sold in full crates only.** Natural Stone is available for purchase by Unilock Authorized Dealers only. All measurements are nominal. Contact Unilock for more information.



# OLDE GREENWICH COBBLE®

Stocked at Aurora & Elkhorn




AUTUMN RED



RIVER BLEND



SIERRA



LARGE RECTANGLE  
7" x 9 1/2" x 2 3/8"  
18cm x 24cm x 6cm



MEDIUM RECTANGLE  
4 3/4" x 7" x 2 3/8"  
12cm x 18cm x 6cm



SMALL RECTANGLE  
2 3/8" x 4 3/4" x 2 3/8"  
6cm x 12cm x 6cm



SQUARE  
4 3/4" x 4 3/4" x 2 3/8"  
12cm x 12cm x 6cm

Individual units cannot  
be sold separately

Square Bundle



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Large Rectangle	2 3/8" (6cm)	113.70	11.37	22.74	0.455	10	5	0.770	29.5	147.6	-	-	-	2.20	50	250	304	608	3,040
Medium Rectangle	2 3/8" (6cm)	97.60	9.76	16.27	0.232	10	6	0.590	27.6	165.4	-	-	-	4.30	70	420	258	430	2,581
<b>Square Bundle</b>		97.40	9.74	-	-	10	-	-	-	-	-	-	-	-	-	720	253	-	2,532
Small Rectangle	2 3/8" (6cm)	-	-	-	0.078	-	-	-	-	-	-	-	-	12.90	-	180	-	-	-
Square	2 3/8" (6cm)	-	-	-	0.155	-	-	-	-	-	-	-	-	6.45	-	540	-	-	-

Notes: **Square bundles are sold in full bundles only. Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. OGC CH

## OPTILOC®

Special Order / Non-Stock


CUSTOM COLORS & FINISHES AVAILABLE




STANDARD FINISH



PREMIER FINISH



IL CAMPO® FINISH



SERIES 3000® FINISH



STANDARD  
10 1/4" x 10 1/4" x 3 1/8"  
26cm x 26cm x 8cm  
**SPECIAL ORDER**



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Optiloc	3 1/8" (8cm)	77.33	9.67	-	0.537	8	-	-	-	-	-	-	-	1.86	-	144	350	-	2,801

Notes: Special Order - Lead time is required, minimum quantities apply. **Sold in full bundles only.** This product is optimized for mechanical installation. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. OPL CH

# PORCELAIN

Stocked at Marengo

## NEW FOR 2016

DELCONCA USA



TRAVSTONE  
BEIGE



TRAVSTONE  
NOCE



GOTHAM BEIGE



GOTHAM GREY



GOTHAM NERO

## NEW FOR 2016

DELCONCA



EPOKAL BEIGE  
SCURO



EPOKAL GREY



EPOKAL BEIGE



DAVINCI BIRCH



DAVINCI  
DRIFTWOOD

CESAR  
LA CULTURA DELLA MATERIA




BEOLA BIANCA




GOLDEN STONE




GRAUSTEIN



24" x 24" x 3/4"  
60cm x 60cm x 2cm



16" x 32" x 3/4"  
40cm x 80cm x 2cm  
Epokal tiles only



Stones & Bundling	Unit Thickness	SqFt Per			Boxes /Crate	Units Per		Lbs Per		
		Unit	Box	Crate		Box	Crate	SqFt	Box	Crate
Travestone Beige (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	-	255.75	-	-	66	9.23	-	2,360
Travestone Noce (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	-	255.75	-	-	66	9.23	-	2,360
Gotham Beige (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	-	255.75	-	-	66	9.23	-	2,360
Gotham Grey (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	-	255.75	-	-	66	9.23	-	2,360
Gotham Nero (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	-	255.75	-	-	66	9.23	-	2,360
Epokal Beige Scuro (40 x 80cm) 16" x 32"	.75" (2cm)	3.445	6.89	165.36	24	2	48	9.04	62.3	1,541
Epokal Grey (40 x 80cm) 16" x 32"	.75" (2cm)	3.445	6.89	165.36	24	2	48	9.04	62.3	1,541
Epokal Beige (40 x 80cm) 16" x 32"	.75" (2cm)	3.445	6.89	165.36	24	2	48	9.04	62.3	1,541
DaVinci Birch (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	7.75	248	32	2	64	9.04	70.1	2,293
DaVinci Driftwood (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	7.75	248	32	2	64	9.04	70.1	2,293
Beola Bianca (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	7.75	232.5	30	2	60	9	72.6	2,178
Golden Stone (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	7.75	232.5	30	2	60	9	72.6	2,178
Graustein (60 x 60cm) 24" x 24"	.75" (2cm)	3.875	7.75	232.5	30	2	60	9	72.6	2,178

Notes: **Sold in full bundles only.** All porcelain tile is available for purchase by Unilock Authorized Dealers only. **For pedestal applications, please contact your Unilock Territory Manager.** All measurements are nominal. Contact Unilock for more information.

# PROMENADE™ SERIES


Special Order / Non-Stock

ENDURACOLOR™ &


ENDURACOLOR™  
PLUS ARCHITECTURAL FINISHES




PREMIER FINISH



IL CAMPO® FINISH



SERIES 3000® FINISH



UMBRIANO® FINISH



8" x 24" x 4"  
20cm x 60cm x 10cm  
**SPECIAL ORDER**



6" x 24" x 2 3/4"  
15cm x 60cm x 7cm or  
15cm **SPECIAL ORDER**



4" x 16" x 4"  
10cm x 40cm x 10cm  
**SPECIAL ORDER**



4" x 12" x 4"  
10cm x 30cm x 10cm  
**SPECIAL ORDER**



3" x 12" x 4"  
7.5cm x 30cm x 10cm  
**SPECIAL ORDER**



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
8" x 24"	4" (10cm)	51.67	10.33	-	1.292	5	-	-	-	-	-	-	-	0.77	-	40	479	-	2,395
6" x 24"	2 3/4" (7cm)	93.00	11.63	-	0.969	8	-	-	-	-	-	-	-	1.03	-	96	372	-	2,978
6" x 24"	6" (15cm)	46.50	11.63	-	0.969	4	-	-	-	-	-	-	-	1.03	-	48	819	-	3,278
4" x 16"	4" (10cm)	51.67	10.33	-	0.431	5	-	-	-	-	-	-	-	2.32	-	120	469	-	2,345
4" x 12"	4" (10cm)	58.13	11.63	-	0.363	5	-	-	-	-	-	-	-	2.75	-	160	532	-	2,659
3" x 12"	4" (10cm)	63.94	10.66	-	0.242	6	-	-	-	-	-	-	-	4.13	-	264	484	-	2,901

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Custom finish and color options are available. Special order - lead time is required, minimum quantities apply. **Important: A urethane rubber paver mat must be used to prevent scuffing.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. PMD ON

# RICHCLIFF®

Stocked at Aurora & Elkhorn

ENDURACOLOR™  
PLUS ARCHITECTURAL FINISHES



DAWN MIST



PEBBLE TAUPE


## PRODUCT TECHNOLOGY

### Reala™ Surface Technology


Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

### Ultima™ Concrete Technology


This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.



LARGE RECTANGLE  
12" x 9" x 2 3/8"  
30cm x 22.6cm x 6cm



SQUARE  
9" x 9" x 2 3/8"  
22.6cm x 22.6cm x 6cm



SMALL RECTANGLE  
6" x 9" x 2 3/8"  
15cm x 22.6cm x 6cm

Individual units cannot  
be sold separately

Random Bundle



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
<b>Random Bundle</b>		90.30	11.29	-	-	8	-	-	-	-	-	-	134.2	-	-	160	309	-	2,472
Large Rectangle	2 3/8" (6cm)	48.10	-	-	0.750	-	-	-	-	-	0.762	-	63.0	1.33	-	64	-	-	-
Square	2 3/8" (6cm)	18.10	-	-	0.575	-	-	-	-	-	0.775	-	23.7	1.74	-	32	-	-	-
Small Rectangle	2 3/8" (6cm)	24.10	-	-	0.375	-	-	-	-	-	0.506	-	47.5	2.67	-	64	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** **Important: A urethane rubber paver mat must be used to prevent scuffing.** Refer to the Polymeric Sand Best Practices on pages 53 and 56 for Important Notice. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. RIC ON





DAWN MIST



PEBBLE TAUPE



SAVANNAH



SMOKE SHALE



12" x 36" x 2 3/4"  
30cm x 90cm x 7cm  
**SPECIAL ORDER**



18" x 36" x 2 3/4"  
45cm x 90cm x 7cm  
**SPECIAL ORDER**



18" x 36" x 4"  
45cm x 90cm x 10cm  
**SPECIAL ORDER**

## PRODUCT TECHNOLOGY

### Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Ayr Manufacturing																			
12" x 36"	2 3/4" (7cm)	69.75	8.72	-	2.906	8	-	-	-	-	-	-	-	0.34	-	24	290	-	2,319
18" x 36"	2 3/4" (7cm)	69.75	8.72	-	4.359	8	-	-	-	-	-	-	-	0.23	-	16	290	-	2,319
18" x 36"	4" (10cm)	43.59	8.72	-	4.359	5	-	-	-	-	-	-	-	0.23	-	10	414	-	2,071

Notes: Special Order - Lead time is required, minimum quantities apply. **Sold in full bundles only and is produced and sold on a required, refundable skid.**  
**Important:** A urethane rubber paver mat must be used to prevent scuffing. Refer to the Polymeric Sand Best Practices on pages 53 and 56 for Important Notice. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. RXL ON

# RIVENSTONE™

Stocked at Aurora & Elkhorn


STONEMARK™




BLUESTONE




CANYON



24" x 24" x 1 3/4"  
60cm x 60cm x 4.5cm




18" x 24" x 1 3/4"  
45cm x 60cm x 4.5cm



18" x 18" x 1 3/4"  
45cm x 45cm x 4.5cm



12" x 24" x 1 3/4"  
30cm x 60cm x 4.5cm




12" x 12" x 1 3/4"  
30cm x 30cm x 4.5cm

## PRODUCT TECHNOLOGY

### Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
24" x 24"	1 3/4" (4.5cm)	72.00	-	-	4.000	-	-	-	-	-	-	-	-	0.25	-	18	-	-	1,353
18" x 24"	1 3/4" (4.5cm)	54.00	-	-	3.000	-	-	-	-	-	-	-	-	0.33	-	18	-	-	1,038
18" x 18"	1 3/4" (4.5cm)	81.00	-	-	2.250	-	-	-	-	-	-	-	-	0.44	-	36	-	-	1,526
12" x 24"	1 3/4" (4.5cm)	36.00	-	-	2.000	-	-	-	-	-	-	-	-	0.50	-	18	-	-	700
12" x 12"	1 3/4" (4.5cm)	36.00	-	-	1.000	-	-	-	-	-	-	-	-	1.00	-	36	-	-	700

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** **Important:** Do not use a vibratory plate compactor for the final compaction. **Product is not intended for vehicular applications.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. RIV CH





CASTANO



CREMA



NUVOLA

**PRODUCT  
TECHNOLOGY**

**EasyClean™  
Stain Resistance**

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.



LARGE SQUARE

16" x 16" x 2 3/4"  
41.6cm x 41.6cm x 7cm



RECTANGLE

8" x 16" x 2 3/4"  
20.8cm x 41.6cm x 7cm



SQUARE

8" x 8" x 2 3/4"  
20.8cm x 20.8cm x 7cm

Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
16"x16"	2 3/4" (7cm)	82.67	10.33	-	1.722	8	-	-	-	-	-	-	-	0.58	-	48	339	-	2,710
8"x16"	2 3/4" (7cm)	82.67	10.33	-	0.861	8	-	-	-	-	-	-	-	1.16	-	96	339	-	2,710
8"x8"	2 3/4" (7cm)	82.67	10.33	-	0.431	8	-	-	-	-	-	-	-	2.32	-	192	339	-	2,710

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** Refer to the Polymeric Sand Best Practices on pages 53 and 56 for Important Notice. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. SZO ON

# SERIES 3000®

Stocked at Aurora & Elkhorn

**ENDURACOLOR™**  
PLUS ARCHITECTURAL FINISHES



MINERAL ICE GREY



MOCHA BROWN



ONYX BLACK




GOLDEN TAN


ARTLINE SIZES  
AVAILABLE,  
SEE PAGE 3



MINERAL ICE GREY  
NEW FOR 2016




24" x 24" x 2<sup>3</sup>/<sub>4</sub>"  
60cm x 60cm x 7cm  
**SPECIAL ORDER**



24" x 24" x 2"  
60cm x 60cm x 5cm  
**SPECIAL ORDER**




12" x 24" x 2<sup>3</sup>/<sub>4</sub>"  
30cm x 60cm x 7cm  
**SPECIAL ORDER**




6" x 24" x 2<sup>3</sup>/<sub>4</sub>"  
15cm x 60cm x 7cm  
**SPECIAL ORDER**



12" x 12" x 2<sup>3</sup>/<sub>4</sub>"  
30cm x 30cm x 7cm  
**SPECIAL ORDER**



6" x 12" x 2<sup>3</sup>/<sub>4</sub>"  
15cm x 30cm x 7cm  
**SPECIAL ORDER**



6" x 6" x 2<sup>3</sup>/<sub>4</sub>"  
15cm x 15cm x 7cm



4" x 8" x 2<sup>3</sup>/<sub>4</sub>"  
10cm x 20cm x 7cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
24"x24" *	2" (5cm)	77.50	7.75	-	3.875	10	-	1.969	-	39.4	1.969	-	39.4	0.26	-	20	189	-	1,889
24"x24" *	2 <sup>3</sup> / <sub>4</sub> " (7cm)	62.00	7.75	-	3.875	8	-	1.969	-	31.5	1.969	-	31.5	0.26	-	16	258	-	2,062
12"x24" *	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.04	11.63	-	1.938	8	-	1.969	-	47.2	0.985	-	94.5	0.52	-	48	372	-	2,980
12"x12" *	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.04	11.63	-	0.969	8	-	0.985	-	94.5	0.985	-	94.5	1.03	-	96	372	-	2,980
6"x24" *	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.00	11.63	-	0.969	8	-	1.969	-	47.2	0.492	-	189.0	1.03	-	96	372	-	2,978
6"x12" *	2 <sup>3</sup> / <sub>4</sub> " (7cm)	93.04	11.63	-	0.485	8	-	0.985	-	94.5	0.492	-	189.0	2.06	-	192	393	-	3,140
6"x6"	2 <sup>3</sup> / <sub>4</sub> " (7cm)	81.36	10.17	11.62	0.242	8	7	0.492	23.6	165.4	0.492	-	165.4	4.13	48	336	343	392	2,746
4"x8"	2 <sup>3</sup> / <sub>4</sub> " (7cm)	106.11	11.79	17.69	0.218	9	6	0.665	26.6	159.5	-	-	-	4.58	81	486	398	597	3,581

Notes: \*Special Order - Lead time is required, minimum quantities apply. **Important: A urethane rubber paver mat must be used to prevent scuffing.** Refer to the Sealer Best Practices on pages 52 and 56 for Important Notice. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. S3K CH

# STONEHENGE®

Stocked at Aurora & Elkhorn




COFFEE CREEK



RIVER



SIERRA



LARGE SQUARE  
12" x 12" x 2 3/4"  
30cm x 30cm x 7cm



RECTANGLE  
6" x 12" x 2 3/4"  
15cm x 30cm x 7cm



SMALL SQUARE  
6" x 6" x 2 3/4"  
15cm x 15cm x 7cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Large Square	2 3/4" (7cm)	93.04	11.63	23.26	0.969	8	4	0.985	23.6	94.5	-	-	-	1.03	24	96	373	745	2,980
Rectangle	2 3/4" (7cm)	93.04	11.63	23.26	0.485	8	4	0.985	23.6	94.5	-	-	-	2.06	48	192	373	745	2,980
Small Square	2 3/4" (7cm)	93.04	11.63	11.63	0.242	8	8	0.492	23.6	189.0	-	-	-	4.13	48	384	373	373	2,980

Notes: **Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. STH CH

# THORNBURY™



Stocked at Aurora, Elkhorn & Marengo




ALPINE GREY



BAVARIAN BLEND



SYCAMORE



LARGE RECTANGLE  
13 3/4" x 16 1/2" x 2 3/4"  
35cm x 42cm x 7cm



MEDIUM RECTANGLE  
13 3/4" x 8 1/4" x 2 3/4"  
35cm x 21cm x 7cm



SMALL RECTANGLE  
6 7/8" x 8 1/4" x 2 3/4"  
17.3cm x 21cm x 7cm

Random Bundle  
Individual units cannot  
be sold separately

# ENDURACOLOR™



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
<b>Random Bundle</b>		88.61	11.08	-	-	8	-	-	-	-	-	-	-	-	-	96	336	-	2,689
Large Rectangle	2 3/4" (7cm)	50.63	-	-	1.582	-	-	-	-	-	-	-	-	0.63	-	32	-	-	-
Med. Rectangle	2 3/4" (7cm)	25.32	-	-	0.791	-	-	-	-	-	-	-	-	1.26	-	32	-	-	-
Small Rectangle	2 3/4" (7cm)	12.66	-	-	0.391	-	-	-	-	-	-	-	-	2.56	-	32	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important:** A urethane rubber paver mat must be used to prevent scuffing. For permeable installations, Unilock recommends using Easy-Pro™ or granite chips for joint filler. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. THB CH





BLUESTONE



SAHARA

**PRODUCT TECHNOLOGY****Reala™ Surface Technology**

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



24" x 24" x 1 3/4"  
60cm x 60cm x 4.5cm

18" x 24" x 1 3/4"  
45cm x 60cm x 4.5cm

12" x 24" x 1 3/4"  
30cm x 60cm x 4.5cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Unit	Section	Bundle
24"x24"	1¼" (4.5cm)	72.00	-	-	4.00	-	-	-	-	-	-	-	-	0.25	-	18	75	-	1,353
18"x24"	1¼" (4.5cm)	54.00	-	-	3.00	-	-	-	-	-	-	-	-	0.33	-	18	58	-	1,038
12"x24"	1¼" (4.5cm)	36.00	-	-	2.00	-	-	-	-	-	-	-	-	0.50	-	18	39	-	700

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: Do not use a vibratory plate compactor for the final compaction. Product is not intended for vehicular applications.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TOR CH



BURGUNDY RED



BURNT CLAY



OLD OAK

3 COLOR BLEND  
Blended on Site


BASALT



HERITAGE RED



HERITAGE CLAY

HERITAGE 2 COLOR BLEND  
Blended on Site

STANDARD  
4" x 9 3/4" x 2 3/4"  
10cm x 25cm x 7cm

**PRODUCT TECHNOLOGY****Reala™ Surface Technology**

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.

**Ultima™ Concrete Technology**

This proprietary manufacturing process creates pavers and walls with up to four times the strength of poured concrete.

	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
Stones & Bundling	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	2¾" (7cm)	88.41	11.05	-	0.276	8	-	0.842	-	105.0	-	-	-	3.62	-	320	348	-	2,788

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** For permeable installations, Unilock recommends using Easy-Pro™ or granite chips for joint filler. For traditional applications, refer to the Polymeric Sand Best Practices on pages 53 and 56 for Important Notice. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TWH ON

Product has been discontinued.  
Limited stock remaining - call for availability.



A Units

15" x 21½" x 2⅜"

38cm x 54.6cm x 7cm

B Units

13" x 15⅜" x 2⅜"

33cm x 40cm x 7cm

Random Bundle  
Individual units cannot  
be sold separately



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle		82.52	10.31	-	-	8	-	-	-	-	-	-	-	-	-	64	-	-	2,474
A Units	2⅜" (7cm)	-	-	-	1.49	-	-	-	-	-	-	-	-	0.72	-	32	-	-	-
B Units	2⅜" (7cm)	-	-	-	1.08	-	-	-	-	-	-	-	-	1.00	-	32	-	-	-

Notes: Special Order - Lead time is required, minimum quantities apply. **Sold in full bundles only and is produced and sold on a required, refundable skid.**

**Important:** A urethane rubber paver mat must be used to prevent scuffing. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TRV CH



NATURAL



STANDARD

16" x 24" x 3⅞"

40cm x 60cm x 8cm



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	3⅞" (8cm)	80.00	10.00	-	2.50	8	-	1.905	-	42.0	-	-	-	0.40	-	32	249	-	1,995

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. TFS CH



AUTUMN SUNSET



MIDNIGHT SKY



SUMMER WHEAT



WINTER MARVEL

ARTLINE SIZES  
AVAILABLE,  
SEE PAGE 3



WINTER MARVEL  
NEW FOR 2016

### PRODUCT TECHNOLOGY

#### EasyClean™ Stain Resistance

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.

#### ColorFusion™

A proprietary technology that disperses color randomly for a natural, granite-like appearance.



24" x 24" x 2¾"  
60cm x 60cm x 7cm



12" x 24" x 2¾"  
30cm x 60cm x 7cm



16" x 16" x 2¾"  
40cm x 40cm x 7cm



8" x 16" x 2¾"  
20cm x 40cm x 7cm



8" x 8" x 2¾"  
20cm x 20cm x 7cm

### NEW FOR 2016



LARGE RECTANGLE  
21" x 14" x 2¾"  
52.5cm x 35cm x 6cm




SQUARE  
14" x 14" x 2¾"  
35cm x 35cm x 6cm



SMALL RECTANGLE  
7" x 14" x 2¾"  
17.5cm x 35cm x 6cm

6cm Random Bundle  
Individual units cannot  
be sold separately



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
24" x 24"	2¾" (7cm)	62.00	7.75	-	3.875	8	-	1.969	-	31.5	1.969	-	31.5	0.26	-	16	258	-	2,062
12" x 24"	2¾" (7cm)	93.00	11.63	-	1.938	8	-	1.969	-	47.2	0.984	-	94.5	0.52	-	48	393	-	3,142
16 x 16"	2¾" (7cm)	82.67	10.33	-	1.722	8	-	1.312	-	63.0	1.312	-	63.0	0.58	-	48	331	-	2,647
8" x 16"	2¾" (7cm)	82.67	10.33	-	0.861	8	-	1.312	-	63.0	0.656	-	126.0	1.16	-	96	331	-	2,647
8" x 8"	2¾" (7cm)	82.67	10.33	-	0.431	8	-	0.656	-	126.0	0.656	-	126.0	2.32	-	192	331	-	2,647
6cm Random Bndl		94.20	10.47	-	-	9	-	-	-	69.1	-	-	-	-	-	-	287	-	2,584
Large Rectangle	2¾" (6cm)	-	-	-	2.089	-	-	1.768	-	21.3	-	-	-	0.48	-	18	-	-	-
Square	2¾" (6cm)	-	-	-	1.391	-	-	1.179	-	31.8	-	-	-	0.72	-	27	-	-	-
Small Rectangle	2¾" (6cm)	-	-	-	0.698	-	-	1.181	-	15.9	-	-	-	1.43	-	27	-	-	-


Notes: **Umbriano 24" and 6cm Random Bundle pavers are not suitable for vehicular applications. Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** Refer to the Polymeric Sand Best Practices on pages 53 and 56 for Important Notice. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. UMB ON



# UNIGRANITE®

Stocked at Aurora & Elkhorn



DARK CHARCOAL



SMALL SQUARE  
4" x 4" x 2 3/4"  
10cm x 10cm x 7cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Small Square	2 3/4" (7cm)	110.70*	-	13.84*	0.110*	-	8	0.335	41.3	330.7	-	-	-	9.11*	126	1,008*	-	443	3,545

Notes: \*After splitting. Dimensions may vary up to 1/4" due to the unique manufacturing method. Instead of a split finish, Unigranite® can be cut and sealed to provide a Terrazzo-like finish. Refer to the Sealer Best Practices on pages 52 and 56 for Important Notice. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. UGT ON

# YORKSTONE™

Stocked at Aurora & Elkhorn

STONEMARK



HONEY GOLD



IRON RIVER

## PRODUCT TECHNOLOGY

### Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



24" x 24" x 1 3/4"  
60cm x 60cm x 4.5cm



18" x 24" x 1 3/4"  
45cm x 60cm x 4.5cm



12" x 24" x 1 3/4"  
30cm x 60cm x 4.5cm



Stones & Bundling	Unit	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
	Thickness	Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
24" x 24"	1 3/4" (4.5cm)	72.00	-	-	4.00	-	-	-	-	-	-	-	-	0.25	-	18	-	-	1,353
18" x 24"	1 3/4" (4.5cm)	54.00	-	-	3.00	-	-	-	-	-	-	-	-	0.33	-	18	-	-	1,038
12" x 24"	1 3/4" (4.5cm)	36.00	-	-	2.00	-	-	-	-	-	-	-	-	0.50	-	18	-	-	700

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: Do not use a vibratory plate compactor for the final compaction. Product is not intended for vehicular applications.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. YST CH



GRANITE  
NEW FOR 2016



SIERRA  
NEW FOR 2016



			Random Bundle Individual units cannot be sold separately
LARGE RECTANGLE 10" x 15" x 2¾" 25.4cm x 38cm x 7cm	SQUARE 10" x 10" x 2¾" 25.4cm x 25.4cm x 7cm	RECTANGLE 5" x 10" x 2¾" 12.7cm x 25.4cm x 7cm	



RECTANGLE  
5" x 10" x 2¾"  
12.7cm x 25.4cm x 7cm

Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Random Bundle	-	94.19	11.77	-	-	8	-	-	-	-	-	-	-	-	-	160	367	-	2,937
Large Rectangle	2¾" (7cm)	-	-	-	1.009	-	-	-	-	-	-	-	-	0.99	-	32	-	-	-
Square	2¾" (7cm)	-	-	-	0.673	-	-	-	-	-	-	-	-	1.49	-	56	-	-	-
Rectangle	2¾" (7cm)	-	-	-	0.336	-	-	-	-	-	-	-	-	2.97	-	72	-	-	-
Rectangle	2¾" (7cm)	94.19	11.77	-	0.336	8	-	-	-	-	-	-	-	2.97	-	280	360	-	2,884

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. Important: A urethane rubber paver mat must be used to prevent scuffing.** Third color of Westport will be determined. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. WPT CH



AUTUMN SUNSET



MIDNIGHT SKY



SUMMER WHEAT



WINTER MARVEL

**PRODUCT TECHNOLOGY****EasyClean™ Stain Resistance**

An integral surface protection that allows for easier cleanup of spills when they happen, and before a stain can develop.

**ColorFusion™**

A proprietary technology that disperses color randomly for a natural, granite-like appearance.



**FULL UNIT**  
20" x 10" x 6½"  
50.5cm x 25.2cm  
x 16.5cm



**HALF UNIT**  
10" x 10" x 6½"  
25.2cm x 25.2cm  
x 16.5cm



**CORNER UNIT**  
20" x 10" x 6½"  
50.5cm x 25.2cm  
x 16.5cm



**HALF CORNER UNIT**  
10" x 10" x 6½"  
25.2cm x 25.2cm  
x 16.5cm





Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Full Unit	21.31	0.888	-	-	24	1.13	-	-	63	1,503
Half Unit	10.65	0.444	-	-	24	2.25	-	-	31	747
Corner Unit	31.41	1.309	-	-	24	0.76	-	-	73	1,741
Half Corner Unit	21.07	0.878	-	-	24	1.14	-	-	41	985

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Colors shown should be used only as a guide. Colors should always be chosen from actual samples. For coping options we recommend LedgeStone (page 32) or Natural Stone (page 14). All measurements are nominal.

The Belmuro blocks are factory-produced concrete elements featuring two chambers arranged in a row. Any wall over 39" in height may be subject to permit requirements and engineering analysis. Always consult with your local authorities before beginning your project. As a rule of thumb, walls 2' high or less require a shallow excavation; otherwise you will require a deep excavation or the implementation of concrete piers (Sono tubes). This system should only be installed by trained, professional contractors to ensure a safe, consistent, reliable system that will be long-lasting. Contact Unilock for more information.

Internal Use Only. BLM ON

**FOR WALLS UNDER 28 INCHES IN HEIGHT****FOR WALLS 28 TO 39 INCHES IN HEIGHT**





COFFEE CREEK



LIMESTONE



PRAIRIE



SANDSTONE



SIERRA



STANDARD  
4" x 8" x 12"  
10cm x 20cm x 30cm



SMALL TAPERED UNIT  
9" x 4" x 8"  
22.9 x 10cm x 20cm


Small Tapered Units are only sold in Coffee Creek, Sandstone and Sierra colors.



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Standard	32.00	0.333	63.36	0.660	96	3.00	6	4	28	2,688
Small Tapered	36.00	0.250	108.00	0.750	144	4.00	6	-	19	2,730

Notes: Maximum height is 24" (under optimum conditions). \*Based on 12" deep wall coverage = 21.4 sqft per bundle. Based on an 8" deep wall coverage = 32 sqft per bundle. Ledgerstone, Brussels XL, 6" x 12" Fullnose, or Stonehenge 12" x 12" complement as a possible coping unit. **Small tapered units are sold in full bundles only.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only, BDS CH



## SUNSET FIREPIT KITS

Available with or without grill in the following colors:



- Coffee Creek
- Sandstone
- Sierra



ROUND



SQUARE



To enlarge the radius for planters and walls, simply 'gap' the back to make the desire radius. (You will not see the gaps because they are against the backfill.) Be sure to use filter fabric between the wall and the backfill. (See Tech Guide for complete instructions.)

## BRUSSELS FULLNOSE™

Stocked at Aurora & Elkhorn



COFFEE CREEK



LIMESTONE



PRAIRIE



SANDSTONE



SIERRA



STANDARD  
6" x 12" x 2 3/4"  
15cm x 30.5cm x 7cm



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
Standard	2 3/4" (7cm)	96.00	12	24.00	0.50	8	4	1.016	24	94.5	-	-	-	2.00	48	192	364	728	2,913

Notes: Can be used for wall coping, step treads, mantels for outdoor fireplaces and other detailed edge applications, or adhered to pool edge using Unilock Concrete Adhesive, or with mortar. Always observe proper construction techniques when adhering pavers to a surface. Consult your local pool contractors for installation specifics. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BFN CH

## 6" X 12" FULLNOSE

Stocked at Aurora & Elkhorn



COFFEE CREEK



LIMESTONE



PRAIRIE



SANDSTONE



SIERRA



6" x 12" FULLNOSE  
6" x 12" x 2 3/4"  
15cm x 30.5cm x 7cm



Stones & Bundling	Unit Thickness	SqFt Per				Per Bundle		Soldier LnFt Per			Sailor LnFt per			Units Per			Lbs Per		
		Bundle	Layer	Section	Stone	Layers	Sections	SqFt	Section	Bundle	SqFt	Section	Bundle	SqFt	Section	Bundle	Layer	Section	Bundle
6" x 12" Fullnose	2 3/4" (7cm)	96.00	12	-	0.50	8	-	1.016	-	94.5	-	-	-	2.00	-	192	364	-	2982

Notes: **Sold in full bundles only.** Can be used for wall coping, step treads, mantels for outdoor fireplaces and other detailed edge applications, or adhered to pool edge using Unilock Concrete Adhesive, or with mortar. Always observe proper construction techniques when adhering pavers to a surface. Consult your local pool contractors for installation specifics. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. BFN CH



NATURAL



STANDARD  
72" x 12" x 24"  
183cm x 30cm x 60cm  
**SPECIAL ORDER**



CORNER 90°  
60" x 12" x 24"  
152cm x 30cm x 60cm  
**SPECIAL ORDER**  
(Right Corner Shown)



COPING  
72" x 12" x 24"  
183cm x 30cm x 60cm  
**SPECIAL ORDER**



CLOSED-END COPING  
72" x 12" x 24"  
183cm x 30cm x 60cm  
**SPECIAL ORDER**



TIE-BACK  
72" x 12" x 24"  
183cm x 30cm x 60cm  
**SPECIAL ORDER**



1/2 COPING  
36" x 12" x 24"  
91.5cm x 30cm x 60cm  
**SPECIAL ORDER**



CORNER 45°  
60" x 12" x 24"  
152cm x 30cm x 60cm  
**SPECIAL ORDER**  
(Right Corner Shown)





1/2 STANDARD  
36" x 12" x 24"  
91.5cm x 30cm x 60cm  
**SPECIAL ORDER**



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping Closed End 72"	-	6.024	-	6.024	-	0.17	-	-	1,560	-
Half Coping	-	3.003	-	3.003	-	0.33	-	-	780	-
Corner 45° Right	-	7.042	-	7.042	-	0.14	-	-	1,480	-
Corner 90° Right	-	7.042	-	7.042	-	0.14	-	-	1,320	-
Coping 72"	-	6.024	-	6.024	-	0.17	-	-	1,560	-
Wall Half	-	3.003	-	3.003	-	0.33	-	-	800	-
Wall Standard	-	6.024	-	6.024	-	0.17	-	-	1,680	-
Wall Tieback	-	2.000	-	2.000	-	0.50	-	-	1,660	-

Notes: Special Order - Lead time is required, minimum quantities apply. **Sold in full bundles only.** \*Closed-end coping units are available and are closed on both ends so that they may be used as lefts or rights. Tie-back units are reinforced with steel. 1/2 Standard units are slightly tapered and can be used to create a 45 foot radius. Refer to terms and conditions for placement rates. Unilock, through Risi Stone Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. DH1 ON



Cross sections are examples and must not be used for construction.





PRAIRIE



RIVER



SANDSTONE



SIERRA



COPING  
12 1/2" (9 1/2") x 3" x 12"  
32(24)cm x 7.5cm x 30cm



COFFEE CREEK




FIELDSTONE



6" CORNER  
12 1/2" x 6" x 9"  
32cm x 15cm x 23cm



3" CORNER  
12 1/2" x 3" x 9"  
32cm x 7.5cm x 23cm



			Individual units cannot be sold separately	6" Random Bundle
6" LARGE UNIT 15" (12 1/2") x 6" x 9" 38(32)cm x 15cm x 23cm	6" MEDIUM UNIT 12 1/2" (10") x 6" x 9" 32(25)cm x 15cm x 23cm	6" SMALL UNIT 10" (7 1/2") x 6" x 9" 25(19)cm x 15cm x 23cm		


			Individual units cannot be sold separately	3" Random Bundle
3" LARGE UNIT 15" (12 1/2") x 3" x 9" 38(32)cm x 7.5cm x 23cm	3" MEDIUM UNIT 12 1/2" (10") x 3" x 9" 32(25)cm x 7.5cm x 23cm	3" SMALL UNIT 10" (7 1/2") x 3" x 9" 25(19)cm x 7.5cm x 23cm		

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping	18.75	0.260	66.00	0.917	72	3.84	8	3	33	2,392
6" Corner	20.83	0.521	41.60	1.040	40	1.92	5	4	54	2,179
3" Corner	18.75	0.260	62.64	0.870	64	3.84	8	4	33	2,410
<b>6" Random Bundle</b>	31.26	-	62.30	-	60	-	5	4	-	2,926
6" Large Unit	12.50	0.625	24.92	1.246	20	1.60	-	-	59	-
6" Medium Unit	10.42	0.521	20.98	1.049	20	1.92	-	-	49	-
6" Small Unit	8.34	0.417	16.40	0.820	20	2.40	-	-	39	-
<b>3" Random Bundle</b>	25	-	99.68	-	96	-	8	4	-	2,209
3" Large Unit	10.02	0.313	39.87	1.246	32	3.19	-	-	29.5	-
3" Medium Unit	8.32	0.260	33.57	1.049	32	3.85	-	-	20	-
3" Small Unit	6.66	0.208	26.24	0.820	32	4.80	-	-	19.5	-

Notes: 3" and 6" random wall bundles have convertible large units that can be used for corners or ending seat walls. End caps not sold separately. Ledgerstone™, Olde Quarry Coping, Brussels Block™ XL, Brussels Fullnose™, 6" x 12" Fullnose or Stonehenge™ 12" x 12" complement as a possible coping. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. EWL CH


## RETAINING WALL PATTERNS



Minimum Outside Radius = 48"  
Maximum height for vertical installation - 21"  
(Under optimum conditions)

This pattern is a 66% mix of 6" and 33% of 3".

## 6" &amp; 3" RANDOM SEAT WALL PATTERN



For more information please consult the Estate Wall installation booklet.

# LEDGESTONE™ PILLAR CAPS, STEPS & COPING


Stocked at Aurora, Elkhorn & Marengo




BLUE




BUFF



GREY




PILLAR CAP  
24" x 24" x 4"  
61cm x 61cm x 10cm



FULLNOSE UNIT  
12" x 24" x 1 3/4"  
30.5cm x 61cm x 4.5cm



CLOSED-END COPING  
12" x 24" x 2 3/4"  
30.5cm x 61cm x 7.5cm



COPING UNIT  
12" x 24" x 2 3/4"  
30.5cm x 61cm x 7.5cm



36" LEDGESTONE STEP  
36" x 18" x 6"  
91.4cm x 45.7cm x 15.2cm  
Buff & Grey Only



48" LEDGESTONE STEP  
48" x 24" x 6"  
122cm x 61cm x 15.2cm  
Buff & Grey Only



72" LEDGESTONE STEP  
72" x 24" x 6"  
183cm x 61cm x 15.2cm  
Buff & Grey Only



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Pillar Cap 24" x 24"	-	-	-	-	5	-	-	-	159	795
Fullnose Coping Unit	-	-	32.00	2.00	16	-	-	-	42	667
Closed End Coping Unit	-	-	24.00	2.00	12	-	-	-	66	796
Coping Unit	-	-	24.00	2.00	12	-	-	-	64	772
Ledgestone Step 36"	-	-	9.00	3.00	3	-	-	-	327	982
Ledgestone Step 48"	-	-	12.00	4.00	3	-	-	-	574	1,721
Ledgestone Step 72"	-	-	18.00	6.00	3	-	-	-	860	2,581

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Coping is rock faced on the front and the back; Closed-end coping and steps are rock faced on three sides. See page 46 for caulk information. **28 1/2" Pillar Caps are also available and are referred to as Lineo Pillar Cap, see page 33 for packaging information. 28 1/2" Pillar Caps and Ledgestone Steps are only available in Buff & Grey.** All measurements are nominal. Contact Unilock for more information.

Internal Use Only. LDG CH

# LINEO™ DIMENSIONAL STONE

Stocked at Aurora & Elkhorn



GRANITE



SANDALWOOD  
NEW FOR 2016



SIERRA



PILLAR UNIT  
16" X 4" X 8"  
40cm X 10cm X 20cm



LINEO PILLAR CAP  
28 1/2" x 28 1/2" x 4"  
72cm x 72cm x 10cm  
Buff & Grey Only  
NEW FOR 2016


For Lineo Pillars, Unilock recommends using 28 1/2" Pillar Cap for a refined look. See page 32 for Buff and Grey color swatches.



XL RECTANGLE  
24" x 4" x 8"  
60cm x 10cm x 20cm



LARGE RECTANGLE  
20" x 4" x 8"  
50cm x 10cm x 20cm



RECTANGLE  
16" x 4" x 8"  
40cm x 10cm x 20cm



SMALL RECTANGLE  
12" x 4" x 8"  
30cm x 10cm x 20cm

Random Bundle  
Individual units cannot be sold separately

Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Pillar Unit	47.81	0.664	95.10	1.321	72	1.51	3	-	39	2,837
Lineo Pillar Cap 28 1/2" x 28 1/2"	-	-	-	-	5	-	-	-	302	1,510
<b>Random Bundle</b>	31.91	-	95.00	-	63	-	3	-	-	2,845
XL Rectangle	11.95	0.664	35.60	1.98	18	1.51	-	-	-	-
Large Rectangle	8.31	0.554	24.70	1.65	15	1.81	-	-	-	-
Rectangle	6.66	0.444	19.80	1.32	15	2.25	-	-	-	-
Small Rectangle	4.99	0.333	14.90	0.99	15	3.00	-	-	-	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid. 28 1/2" Pillar Caps are sold by the full bundle only.** Spacing strips are shipped with random wall bundles to create even spacing between units. Ledgestone™, Unilock Natural Stone or 6"x12" Fullnose complement as possible coping options. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. LDS CH





COFFEE CREEK



PRAIRIE



RIVER



SANDSTONE




SIERRA



FIELDSTONE  
NEW FOR 2016



CORNER  
4 1/2" x 9" x 12"  
11cm x 23cm x 30cm



COPING UNIT  
12" (9") x 3" x 12"  
30.5cm (23cm) x 7.5cm x 30.5cm



15" UNIT  
15" (12") x 4 1/2" x 9"  
38cm (30.5cm) x 11.5cm x 23cm



12" UNIT  
12" (9") x 4 1/2" x 9"  
30.5cm (15cm) x 11.5cm x 23cm



9" UNIT  
9" (6") x 4 1/2" x 9"  
23cm (15cm) x 11.5cm x 23cm

Individual units cannot be sold separately


Wall Bundle





Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping Unit	24.00	0.250	96.00	1.000	96	4.00	-	4	32	3,039
Corner Unit	30.89	0.386	82.40	1.030	80	2.59	-	4	39	3,150
Wall Bundle	33.75	-	90	-	90	-	-	5	-	2,867
15" Unit	14.07	0.469	37.38	1.246	30	2.13	-	-	44	-
12" Unit	11.25	0.375	30.00	1.000	30	2.67	-	-	34	-
9" Unit	8.43	0.281	22.62	0.754	30	3.56	-	-	24	-

Notes: Structural retaining walls greater than 2' high require professional engineering. Connector units provided with every bundle upon request. Use plastic connectors on set-back walls. LedgeStone™, Olde Quarry Coping, Brussels Block XL, Brussels Fullnose™, 6" x 12" Fullnose or Stonehenge 12" x 12" complement as a possible coping. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. OQY CH



Maximum height for vertical installation:  
27-31.5"  
(Under optimum conditions)



Cross sections are examples and must not be used for construction.

## OLDE QUARRY RADIUS CHART

Radius achieved using only the tapered units from a "random bundle"							
Radius (inches)	35"	27"	35"	47"	32"	37"	42"
Unit sequence	9", 12", 15"	only 9" units	only 12" units	only 15" units	9", 12" etc.	9", 15" etc.	12", 15" etc.
	uses all units in bundle	Note: These sequences will have left over units. Plan to use the left over units in other parts of the project.					



NEVADA



SIERRA



TAPERED  
8" x 6" x 12"  
20cm x 15cm x 30cm



CORNER  
12" x 6" x 8"  
30cm x 15cm x 20cm



12" COPING  
12" x 3" x 12"  
30cm x 7.5cm x 30cm




XL WALL  
16 x 6 x 12"  
40cm x 15cm x 30cm  
**NEW FOR 2016**

Stones & Bundling	Face Feet Per		Linear Feet Per		Dbl Units Per		Per Bundle		Lbs Per	
	Bundle	Dbl Unit	Bundle	Dbl Unit	Bundle	Face Feet	Layers	Sections	Dbl Unit	Bundle
Corner Unit	30.00	1.667	-	-	18	0.60	3	6	112	2,008
Tapered	20.00	0.667	40.00	1.333	30	1.50	3	2	80	2,393
XL Wall - Single Unit	21.33	0.667*	42.67	1.333*	32*	1.50*	4	-	77*	2,501
12" Coping	21.00	0.500	84.00	2.000	42	2.00	7	2	68	2,875


Notes: \*XL Wall units are single units and are sold in full bundles only and is produced and sold on a required, refundable skid. When purchased by the full bundle, Corner Units are produced and sold on a required, refundable skid. 12" Coping bundle has 16 units of closed-end coping (8 left and 8 right). Closed-end 12" coping not sold separately. Maximum height - 36" (under optimum conditions). Higher walls can be achieved using geogrid reinforcement. The set back on PISA2 wall is ¼" every course or 1 ½" every 2 courses. Tapered units will allow for a minimum 5' radius. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. Walls greater than 4' in height require professional engineering. Tapered Units allow for a minimum 5' Radius. All measurements are nominal. Contact Unilock for more information.

Internal Use Only, PS2 CH

GRAVITY WALL



GEOGRID REINFORCED



Cross sections are examples and must not be used for construction.

# RIVERCREST® WALL

Stocked at Aurora & Elkhorn



COASTAL SLATE




BUFF

## PRODUCT TECHNOLOGY

### Reala™ Surface Technology

Ultra-realistic textures cast from natural stone, brick and historic cobblestones.



**COPING**  
22" x 11" x 2 1/4"  
56cm x 28cm x 6cm



**JUMPER CORNER UNIT**  
12" x 9-10" x 4 1/2"  
31cm x 23-25cm x 11.4cm



**LONG CORNER UNIT**  
12" x 9-10" x 2 1/4"  
31cm x 23-25cm x 6cm



**SHORT CORNER UNIT**  
10" x 9-10" x 2 1/4"  
25cm x 23-25cm x 6cm

Individual units cannot be sold separately

Corner Bundle



**STANDARD UNIT 1**  
8" x 9-10" x 2 1/4"  
20cm x 23-25cm x 6cm



**STANDARD UNIT 2**  
12" x 9-10" x 2 1/4"  
31cm x 23-25cm x 6cm



**STANDARD UNIT 3**  
12" x 9-10" x 2 1/4"  
31cm x 23-25cm x 6cm



**STANDARD UNIT 4**  
17" x 9-10" x 2 1/4"  
42.5cm x 23-25cm x 6cm

Individual units cannot be sold separately

Standard Bundle

## RAPID PILLAR SYSTEM



**PILLAR UNIT**  
20" x 20" x 4 1/2"  
50cm x 50cm x 11.4cm



**JUMPER UNIT 1**  
8" x 9-10" x 4 1/2"  
20cm x 23-25cm x 11.4cm



**JUMPER UNIT 2**  
12" x 9-10" x 4 1/2"  
31cm x 23-25cm x 11.4cm



**JUMPER UNIT 3**  
12" x 9-10" x 4 1/2"  
31cm x 23-25cm x 11.4cm



**JUMPER UNIT 4**  
17" x 9-10" x 4 1/2"  
42.5cm x 23-25cm x 11.4cm

Individual units cannot be sold separately

Jumper Bundle

**RIVERCREST FIRE PIT KIT**  
See page 39 for more information.




Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Coping Unit	16.70	0.348	89.10	1.86	48	2.87	8	-	43	2,090
<b>Corner Bundle</b>	20.92	-	-	-	64	-	4	-	-	1,232
Long Corner Unit	16.10	0.335	85.92	1.79	48	2.99	-	-	20.4	-
Short Corner Unit	4.80	0.300	25.44	1.59	16	3.33	-	-	16.7	-
Corner Jumper Unit	12.20	0.38	32.54	1.01	32	2.63	4	-	40	1,280
Pillar Bundle 20" x 20"	-	-	-	-	8	-	-	-	125	1,000
<b>Wall Jumper Bundle</b>	24.30	-	-	-	64	-	4	-	-	2,720
Unit 1	3.9	0.24	10.49	0.658	16	4.17	-	-	30	-
Unit 2	6.1	0.38	16.27	1.01	16	2.63	-	-	40	-
Unit 3	6.1	0.38	16.27	1.01	16	2.63	-	-	40	-
Unit 4	8.2	0.5	22.00	1.375	16	2.00	-	-	60	-
<b>Standard Bundle</b>	24.30	-	130.2	-	128	-	8	-	-	1,990
Unit 1	3.9	0.12	20.99	0.656	32	8.33	-	-	9.4	-
Unit 2	6.1	0.19	32.54	1.017	32	5.26	-	-	14.7	-
Unit 3	6.1	0.19	32.54	1.017	32	5.26	-	-	14.7	-
Unit 4	8.2	0.25	44.61	1.394	32	4.00	-	-	14.7	-

Notes: **Sold in full bundles only and is produced and sold on a required, refundable skid.** Rivercrest is recommended for walls under 2ft. Ideal for straight or curved walls, seat walls, pillars, tree rings, planters, firepits and grill islands. Integrated connectors require no pins or clips. Minimum radius using equal amounts of each unit is 1.25m / 4.1ft. Using only unit 1 & 3 a 1.055m / 3.5ft radius can be achieved. For more information, please consult the Rivercrest installation booklet. Unilock, through Risi Stone Systems International, can provide preliminary site engineering for most commercial projects. Soils information, site drawings, and loading requirements are some of the information details required in order to provide this preliminary site engineering. All measurements are nominal. Contact Unilock for more information.


Internal Use Only. RVC ON






## Starting a Wall

### Course 1




Long Corner Unit 4

### Course 2




Short Corner Unit 2

## Straight Wall - Align A-A / B-B



## Curved Wall - Align A-B / B-A



## Design Style

To accurately determine the number of standard and jumper units you will require, start by selecting an aesthetic option.



Option A  
No Jumpers




Option B  
Some Jumpers



Option C  
Many Jumpers

## Jumper Units


In addition to being used to enhance sections of wall, jumper units can also be used in a variety of different ways within the Rivercrest Wall system. The Jumper Unit #2 has faces on three sides making it perfect for incorporating into pillars and corners. The unit can also be used when starting and ending seat walls.



## Coping Alternative Uses in a Pillar

When constructing a pillar, coping units should be used through-out to break-up repeating bond patterns. A coping layer should be placed every 2-3 layers.


\* All components should be secured with approved concrete adhesive.



## Coping Alternative Uses as a Corner

Coping units may also be integrated into the corner to enhance the appearance and add stability. When constructing a seat wall, center align the coping unit with the unit below, it will protrude slightly but add to the rustic appearance of the wall. In retaining wall the coping unit may be set back into the reinforcement zone so that the front & side are flush with the rest of the corner. Simply remove the alignment knob with a chisel if there is a conflict.

\* All components should be secured with approved concrete adhesive.




For more information please consult the Rivercrest™ installation booklet.




NEVADA  
Coping Only



SIERRA  
Coping Only



STANDARD 925  
39" x 7<sup>1</sup>/<sub>4</sub>" x 36<sup>1</sup>/<sub>2</sub>"  
100cm x 18.5cm x 92.5cm  
**SPECIAL ORDER**



STANDARD 500  
39" x 7<sup>1</sup>/<sub>4</sub>" x 20"  
100cm x 18.5cm x 50cm  
**SPECIAL ORDER**



COPING  
39" x 7<sup>1</sup>/<sub>4</sub>" x 20"  
100cm x 18.5cm x 50cm



CLOSED-END COPING  
39" x 7<sup>1</sup>/<sub>4</sub>" x 20"  
100cm x 18.5cm x 50cm  
**SPECIAL ORDER**





CORNER 90° (left & right)  
36<sup>1</sup>/<sub>2</sub>" x 7<sup>1</sup>/<sub>4</sub>" x 20"  
93cm x 18.5cm x 50cm  
**SPECIAL ORDER**



Stones & Bundling	Face Feet Per		Linear Feet Per		Units Per		Per Bundle		Lbs Per	
	Bundle	Unit	Bundle	Unit	Bundle	Face Feet	Layers	Sections	Unit	Bundle
Closed End Coping	12.00	2.000	19.50	3.250	6	0.50	-	-	459	2,756
Coping	12.00	2.000	19.50	3.250	6	0.50	-	-	459	2,756
Corner 90°	17.19	2.865	-	-	6	0.35	-	-	477	2,862
Standard 500	12.00	2.000	19.50	3.250	6	0.50	-	-	463	2,778
Standard 925	6.00	2.000	9.75	3.250	3	0.50	-	-	872	2,617

Notes: Special Order - Lead time is required, minimum quantities apply. **Sold in full bundles only.** Coping units can be used to construct steps. Soils information, site drawings and loading requirements are some of the information details required in order to provide you with preliminary site engineering. All measurements are nominal. Contact Unilock for more information.

Internal Use Only. SST CH



Cross sections are examples, and must not be used for construction.

## FIRE PIT KITS

Stocked at Aurora, Elkhorn & Marengo

Add instant charm and appeal to your backyard with a welcoming fire pit from Unilock. Each fire pit is pre-assembled in order to provide you with the easiest installation, with a variety of stone options to match your existing patio. Whether you are building a new patio, or adding to an existing one, your fire pit will become the ultimate gathering spot.

### SUNSET FIRE PIT KIT



This fire pit kit uses Brussels Dimensional Stone® (small tapered units).



COFFEE CREEK SANDSTONE SIERRA



SQUARE



ROUND



#### FIRE PIT GRILL

This *optional* fire pit grill fits securely into both the round or square firepit designs.

### RIVERCREST® FIRE PIT KIT



This fire pit kit is built with the Rivercrest Wall.



COASTAL SLATE BUFF



#### FIRE PIT GRILL

Fire pit grill is included and fits securely into the firepit.


Stones & Bundling	Stones per Course	Stones per Pallet	Diameter Outside of Stone	Diameter Inside of Stone	Diameter Pit Insert	Lbs. / Pallet	Kits / Pallet
Sunset Fire Pit - Square	16	48	56"	40"	38"	1,525	1
Sunset Fire Pit - Round	18	54	52"	36"	34"	1,125	1
Rivercrest Fire Pit Kit	4	12	54"	35"	34.5"	1,512	1

Notes: All measurements are nominal. Contact Unilock for more information.




## LAYING PATTERNS

### ARTLINE™




Artline A - 100% Random

### AVANTE ASHLAR™




Avante Ashlar A - 38% Unit A,  
25% Unit B, 12% Unit C, 25% Unit D

### BEACON HILL FLAGSTONE™/BRISTOL VALLEY™




Beacon Hill Flagstone/Bristol Valley A -  
40% Lg Rect, 40% Sq, 20% Sm Rect.




Beacon Hill Flagstone/Bristol Valley B -  
40% Lg Rect, 40% Sq, 20% Sm Rect.


### BRUSSELS BLOCK® / BRUSSELS PREMIER




Brussels P - 67% Standard, 33% Half



Brussels O - 67% Standard, 33% Half




Brussels X - 57% XL, 29% Standard,  
14% Half




Brussels Y - 57% XL, 29% Standard,  
14% Half

### BRUSSELS BLOCK® / BRUSSELS PREMIER




Brussels Z - 67% XL, 20% Standard,  
13% Half




Brussels AF - 40% XL, 40% Standard,  
20% Half

### COPTHORNE®




Cophorne A - 100% Standard




Cophorne B - 100% Standard

### CAMELOT™




Camelot F - 75% Lg Rectangle,  
25% Square




Camelot M - 60% Lg Rectangle,  
40% Square

### COURTSTONE®




Courtstone A - 16% Sq., 18% Sm. Rec.,  
19% Rec., 22% Lg. Rec., 25% XL Rec.

### ECO-PRIORA™




Eco-Priora E - 100% Rectangle

### ECO-PRIORA™




Eco-Priora H - 50% Large Square,  
50% Rectangle

### HOLLANDSTONE™ & HOLLAND PREMIER™




Hollandstone D - 100% 4"x8"




Hollandstone C - 100% 4"x8"

### IL CAMPO®




Il Campo AB - 58% 12"x12",  
29% 6"x12", 13% 4"x8"


## IL CAMPO®



Il Campo H - 60% 6"x8", 30% 6"x6", 10% 4"x6"




Il Campo M - 50% 6"x12", 50% 12"x12"




Il Campo AC - 46% 12"x12", 23% 6"x12", 31% 4"x8"

## NATURAL STONE




Natural Stone C - 67% 24" x 24", 33% 12" x 24"

## NATURAL STONE




Natural Stone D - 57% 12" x 24", 43% 18" x 24"




Natural Stone F - 34% 24" x 36", 24% 24" x 24", 18% 18" x 24", 24% 12" x 24"

## OLDE GREENWICH COBBLE®




Greenwich F - 43% Lg. Rect., 32% Med. Rect., 21% Square, 4% Sm. Rect.




Greenwich G - 67% Large Rectangle, 33% Medium Rectangle

## OLDE GREENWICH COBBLE®




Greenwich H - 53% Medium Rectangle, 39% Square, 8% Small Rectangle




Greenwich J - 42% Lg Rec., 22% Square, 32% Med Rec., 4% Small Rec.

## RICHCLIFF®




Richcliff A - 53% 12" x 9", 20% 9" x 9", 27% 6" x 9"




Richcliff B - 53% 12" x 9", 20% 9" x 9", 27% 6" x 9"

## RICHCLIFF®




Richcliff C - 53% 12" x 9", 20% 9" x 9", 27% 6" x 9"




Richcliff D - 53% 12" x 9", 20% 9" x 9", 27% 6" x 9"

## RICHCLIFF® XL




Richcliff XL A - 40% 12" x 36", 60% 18" x 36"


## RIVENSTONE™




E - 37% 18"x24", 27% 18"x18", 24% 12"x24", 12% 12"x12"



F - 50% 18"x24", 33% 12"x24", 17% 12"x12"




G - 43% 18"x24", 28.5% 12"x24", 28.5% 12"x12"




H - 26% 24"x24", 19% 18"x24", 29% 18"x18", 13% 12"x24", 13% 12"x12"

## RIVENSTONE™




I - 33% 24"x24", 50% 18"x24",  
17% 12"x24"


## SENZO™



Senzo C - 57% 16"x16", 29% 16"x8",  
14% 8"x8"




Senzo D - 67% 16"x16", 22% 16"x8", 11%  
8"x8"




Senzo E - 54% 16"x16", 37% 8"x16",  
9% 8"x8"


## TORINO™ & YORKSTONE™



A - 45% 24"x24", 33% 18"x24",  
22% 12"x24"




J - 36% 24"x24", 28% 18"x24", 36%  
12"x24"




K - 47% 24"x24", 18% 18"x24",  
35% 12"x24"

## STONEHENGE®




Stonehenge F - 67% Large Square, 22%  
Rectangle, 11% Small Square


## STONEHENGE®



Stonehenge B - 50% Large Square,  
50% Rectangle




Stonehenge E - 80% Large Square,  
20% Small Square




Stonehenge G - 57% Large Square,  
29% Rectangle, 14% Small Square

## TOWN HALL™




Town Hall B - 100% Standard

## TOWN HALL™




Town Hall C - 100% Standard




Town Hall D - 100% Standard

## UMBRIANO®




Umbriano A - 57% 16"x16", 29% 16"x8",  
14% 8"x8"




Umbriano B - 67% 16"x16", 22% 16"x8",  
11% 8"x8"

## UMBRIANO®




Umbriano C - 54% 16"x16", 37% 8"x16",  
9% 8"x8"




Umbriano E - 33% 24"x24", 33% 12"x24",  
15% 16"x16", 15% 16"x8", 4% 8"x8"

## UMBRIANO® RANDOM



Umbriano Random A - 40% Large Rect.,  
40% Square, 20% Small Rect.

## WESTPORT



Westport B - 40% 15"x10", 40% 10"x10",  
20% 5"x10"



## Tuscany Collection\*\*



Tuscany Fireplace  
Sandstone with  
Copthorne\*



Tuscany Fireplace  
Sierra with  
Copthorne\*

### Element Product Codes

#### Tuscany Collection

	Sandstone	Sierra
Fireplace Top	RS-ELE074-1	RS-ELE095-2
Fireplace Bottom	RS-ELE088-1	RS-ELE096-2
Wood box Set	RS-ELE028-1	RS-ELE027-1
Arched Hearth	RS-ELE016-1	RS-ELE017-1

**WEIGHTS** Tuscany Fireplace Top 2705 lbs Fireplace Bottom 3995 lbs Wood Boxes 3986 lbs Arched Hearth 1060lbs

## Special Order



Tuscany Prairie with  
Copthorne\*



Tuscany River with Il  
Campo\*



Tuscany Sandstone with  
Umbriano\*



Tuscany Sierra with  
Richcliff\*



Tuscany Sierra with  
Courtstone\*

## Barcelona Collection\*\*



Barcelona Fireplace  
River with Richcliff\*  
**Discontinued with limited stock.**



Barcelona Fireplace  
Sierra with Umbriano\*

### Element Product Codes

#### Barcelona Collection

	River	Sierra
Fireplace	RS-ELE206	RS-ELE214
Wood box Set	RS-ELE205	RS-ELE213
Arched Hearth	RS-ELE204	RS-ELE212

**WEIGHTS** Barcelona Fireplace Top 2605 lbs Fireplace Bottom 4026 lbs Wood Boxes 3900 lbs Arched Hearth 1100lbs

## Special Order



Barcelona Prairie with  
Il Campo\*



Barcelona Sandstone with  
Unigranite\*



Barcelona Sandstone with  
Copthorne\*

\*\*Units and measurements may not be exactly as shown.

NEW FOR 2016



## Bella

The Bella pre-built fireplace is constructed from Rivercrest® Wall (page 36).  
**Please call for availability.**

**WEIGHTS** Bella Fireplace Top 1,685 lbs Fireplace Bottom 3,155 lbs



## Moda

The Moda pre-built fireplace is constructed from Lineo Dimensional Stone (page 33) and Series 3000® (page 20) accent.  
**Please call for availability.**

**WEIGHTS** Moda Fireplace Top 1,685 lbs Fireplace Bottom 3,155 lbs



## Ventana

The Ventana pre-built fireplace is constructed with Lineo™ Dimensional Stone (page 33).


**SPECIAL ORDER**

**WEIGHTS** Ventana Fireplace 3,610 lbs



## Element Product Codes

<u>Bella</u>	RS-ELE318
<u>Moda</u>	RS-ELE317
<u>Ventana</u>	RS-ELE319

## Typical Cross Section for Concrete Pad Installation



## Tuscany & Barcelona Fireplace



### Guarantee

The standard Unilock guarantee applies to the units used to construct Unilock Elements. (See Unilock literature for details.) Third party grills and fireboxes carry their respective manufacturer's warranty, and may change without notice.

Note: Unilock reserves the right to change model designs, accessories and colors without notice. Unilock will not be responsible for improper use or handling that results in property damage. Some models may not be exactly as shown. Fireplaces come complete with UL- approved stainless steel fireboxes. Check local building codes and regulations prior to ordering and installing Unilock Elements.



## CLEANING PRODUCTS



### TECHNISEAL® PROFESSIONAL GRADE OIL & GREASE REMOVER

RS-CLN001

Professional Grade Oil and Grease Remover is an industrial strength petroleum-based product. It lifts and absorbs embedded oil and grease stains as it dries from a liquid to a powder. Specially formulated for concrete pavers, slabs walls, natural stone, poured or stamped concrete, etc. Works without damaging or discoloring material and is easy to use.

Packaging: • 1 quart container • 6 per case • 100 cases per skid (600 qts)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



### TECHNISEAL PAVER PRIMER & EFFLORESCENCE REMOVER

RS-CLN002

Paver Primer is specially formulated to dissolve efflorescence (whitish salt deposit) and remove ground-in dirt on paving stones and concrete, without discoloring or damaging surfaces. It cleans evenly, and enables the sealant to better penetrate the material to be treated.

Packaging: • 1 gallon • Box of 4 x 1 US gallon • 45 cases per skid (180 gallons) • 150 sq ft approx. coverage

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



### TECHNISEAL RUST REMOVER

RS-CLN012

Paver Cleaner cleans rust from paving stones and concrete without discoloring the surface.

Packaging: • 1 quart container • 6 per case • 120 cases per skid (720 qts)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



### TECHNISEAL PAINT, TAR & RUBBER REMOVER

RS-CLN007

Description: Paver Cleaner thoroughly dissolves paint, tar or bitumen, rubber and chewing gum, from paving stones, concrete, and masonry.

Packaging: • 1 liter container (1US qt) • 6 per case • 120 cases per skid (720 x 1 liter/ 720 x 1 US qt)

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



### TECHNISEAL PAVER RESTORER

RS-CLN044 (1 gal) / RS-CLN019 (5 gal)

Description: Paver Restorer's concentrated formula removes cement slurry and jointing haze, as well as stains generated by pavers and slabs cuts. Unlike muriatic acid, Paver Restorer has very little odor and is environmentally friendly.

Packaging: • 1 gallon / 4 per case • Cleans up to 200 square feet • Coverage depends on surface porosity and severity of haze.

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

## ADHESIVES & CAULKS



### SB-10 ADHESIVE

RS-ADH009-1 (10 oz) / RS-ADH015-1 (28 oz)

(Conforms to UN-STD. 1804, ASTM 2339-70& FHA UM-60) Color: light tan

Surebond SB-10 adhesive SB-10 Paver Bond is a fast set up, quick curing, superior strength, structural grade hardscape adhesive. Adheres well in extreme conditions such as temperatures ranging from 0° to 100° F, frozen and/or damp substrates. Superior durability to withstand extreme wear and tear including heavy vehicular traffic. Helps to level and shim. Applies easily with a caulking gun.

• Low odor • VOC compliant • 10 oz. Tube: 12/case & 140 cases/skid • 28 oz Tube: 12/case & 60 cases/skid • 900 psi

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.



### XP GATOR BLOCK ADHESIVE NEW FOR 2016

RS-ADH039 (10.3 oz) / RS-ADH040 (28 oz)

Gator Block Bond Adhesive is one of the strongest polyurethane adhesives on the market, specially formulated for bonding concrete, natural stone, blocks, bricks and pavers and can be used on dry or damp surfaces. It bonds permanently in 24 hours.

• Low odor • VOC compliant • 10.3 oz. Tube: 12/case & 90 cases/skid • 28 oz Tube: 12/case & 60 cases/skid •

850 psi in 24 hours/1000 psi in 7 days

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS. **Product is sold by case/skid only.**



### 3006 ULTRA ALL PURPOSE ELASTOMERIC SEALANT

RS-TOOL202 Grey

3006 Ultra is a premium sealant featuring outstanding flexibility and adhesion to surfaces.

10.5 oz. Tube / 12 per case

• 40% more flexible than standard latex caulking • Paintable • Water clean-up

• Dries non-tacky • Interior and exterior use

Exceeds requirements for Federal Specification TT-S-00230C Type II Class A and meets performance requirements of ASTM C-920 Class 35. For additional safety information, see SDS.

## ADHESIVES & CAULKS



### SHERWIN WILLIAMS POWERHOUSE - ALL PURPOSE ELASTOMERIC SEALANT

RS-TOOL201 Tan

Sherwin Williams Powerhouse is a premium sealant that provides excellent flexibility and performance.

- 10 oz. Tube / 12 per case
- Crack proof seal
- Water/Weatherproof seal

Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

## SEALING PRODUCTS



### SUREBOND 8700 WET LOOK JOINT STABILIZING SEALER

RS-SEAL151 (1 gal) / RS-SEAL152 (5 gal)

Surebond 8700 is an advanced premium acrylic sealer with a gloss finish that repels water within 90 minutes and stabilizes joint sand. SUREBOND 8700 is specially formulated with antifungal agents designed to help inhibit the growth of mold, fungi and moss on horizontal pavement surfaces. This breathable sealer can be applied immediately to new installations and will not trap naturally occurring efflorescence. Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS. Packaging: 4 1-gallons/case • Approximate coverage 80-120 sq.ft. per gallon • Due to HAZMAT regulations, 28 cases per skid or 22-5 gallons per skid/truckload • **Due to HAZMAT Regulations**, no more than 1000 lbs. may be picked up at one time.



### SUREBOND JOINT STABILIZING SEALER

RS-SEAL037 (1 gal) / RS-SEAL036 (5 gal) / RS-SEAL-38 (55 gal)

Surbond 1300 is an epoxy modified, single-component VOC, EPA, and OSHA compliant, solvent-free, penetrating sealer that provides protection to interlocking paving stone installations against salt spray, acid rain, food and beverage stains, and other oxidizers. This matte finish sealer binds joint sand together to ensure the integrity of the pavement by forming a homogeneous, flexible pavement that stops erosion or joint sand failures in large paver installations. This sealer is also used to seal retaining walls and for concrete and aggregate and split-face stone to protect against staining, salt spray, and acid rain damage and discoloration for architectural, industrial, and residential installations. Packaging: 6 1-gallons/case • 27 cases per skid • 36 5-gallon pails/skid • Approximate coverage 100-150 sq.ft. per gallon



### WL4 TECHNISEAL PROSERIES WET LOOK WATER REPELLANT

RS-SEAL001 (1gal) / RS-SEAL073 (5 gal) / RS-SEAL003 (55 gal)

Made of acrylic and plasticizers, Wet-Look Paver Protector (WL4) is a wet-look, gloss-finish and microporous transparent coating that protects pavers made of concrete while enhancing their original color. It reduces oil and dirt penetration, and makes cleaning easier. Easy to apply, it penetrates the surface for maximum adhesion and durability. It will not peel or discolor. It resists the elements (freeze-thaw cycles, sun, rain, etc.), as well as calcium and salt. It also resists hot tire pick-up. Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS. For outdoor use only. Packaging: 4 1-gallons per case • Approximate coverage 100-150 sq.ft. per gallon • Due to HAZMAT Regulations, 22 cases per skid or 19-5 gallon pails per skid/truckload. • **Due to HAZMAT Regulations**, no more than 1000 lbs. may be picked up at one time.



### WL5 TECHNISEAL PROSERIES WET LOOK RECOATER PAVER PROTECTOR

RS-SEAL113 (1gal) / RS-SEAL096 (5 gal)

Wet Look Recoater (WL5) is specially formulated for surfaces previously sealed with the WL4 or WLWR Protectors. This easy to apply sealer, adds a rich satin and glossy appearance to pavers. Consisting of acrylic and plasticizers, the Wet Look Recoater (WL5) can be used to effectively protect and enhance hardscape installations. The sealer has optimum oil repellency and resists the assaults of weather (freeze-thaw cycles, sun, rain, etc.) as well as calcium and salt. Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS. For outdoor use only. Packaging: 4 1-gallons per case • Approximate coverage 100-150 sq.ft. per gallon • Due to HAZMAT regulations, 22 cases per skid or 19-5 gallons per skid/truckload • **Due to HAZMAT Regulations**, no more than 1000 lbs. may be picked up at one time.



### BP PRO WET LOOK JOINT STABILIZING SEALER

RS-SEAL078 (1 gal) / RS-SEAL079 (5 gal) / RS-SEAL080 (55 gal)

Designed specifically for use on block paving to seal the paver surface and fuse the joint sand. It is a solvent-based single component polymer that creates a semi-gloss finish. It has the consistency of a light oil and is clear in appearance. It has a strong odor when in its liquid state and dries to a transparent semi-gloss finish with a darkened wet look. It can be used outdoors on new and existing projects because it is UV stable. WetLook Stabilizing Sealer can be applied immediately because it is breathable and does not trap moisture and it has outstanding coverage. The product is easy to install and offers great stain and environment protection. Cured product is heat and freeze resistant. Packaging: 4 1-gallons per case • 50-125 sq.ft. coverage per gallon (approx.) • Due to HAZMAT regulations, 27 cases per skid or 25-5 gallons per skid/truckload • **Due to HAZMAT Regulations**, no more than 1000 lbs. may be picked up at one time.

## SEALING PRODUCTS



### BP PRO ENHANCED JOINT STABILIZING SEALER

RS-SEAL042 (1 gal) / RS-SEAL043 (5 gal) / RS-SEAL044 (55 gal)

BP Pro Enhanced Joint Stabilizing Sealer is designed specifically for use on block paving to stabilize joint sand and seal the paver surface. It is a water-based, single-component polymer that penetrates into the pores and seals the surface with a coating that creates a semi-gloss finish. Enhanced Joint Stabilizing Sealer is a green product that is solvent free and environmentally friendly. It is VOC, EPA, OSHA, and FDA compliant. It is non-hazardous and non-toxic. Stabilized joint sand will significantly reduce weeds and insect infestations. It is a dual-purposed surface and joint sand stabilizer. Packaging: 4 1-gallons per case • 36 cases per skid • 36 5-gallons per skid • 4 55-gallon container per skid • 80-100 sq.ft. coverage per gallon (approx.)



### TECHNISEAL® SUREFOOT ANTI-SLIP GRIT RS-SEAL166 (Solvent-based) / RS-SEAL167 (Water-based)

Techniseal SureFoot Anti-slip grit mixes easily with sealer to reduce the slipperiness of pavers without changing the sealer's original appearance. It provides a uniform coat and a safer, more slip-resistant surface where slips and falls are likely to occur; such as pool decks, access ramps, etc. Two separate formulas are available to mix well with either water or solvent based sealers. Directions: 5 Scoops mix into 1 Gallon of Sealer / One Can mixes into 5 Gallons of Sealer. Packaging: 6 cans/case Note: Carefully read all instructions and safety information on product label prior to application. For additional safety information, see SDS.

## SANDS



### JOINTING SAND

RS-SAND001-1 - Tan

50 lb/bag 56 bags/skid

Kiln dried and angular shaped in order to flow easily and stay in place.



### SEK POLYSWEEP SAND

RS-SAND045 - Tan / RS-SAND046 - Grey

50 lb/bag 56 bags/skid

For concrete paver, cast stone pavements, slabs and natural stone joints up to 3/4". PolySweep polymeric sand is a blend of native sands and high quality synthetic polymers specially formulated to allow the joints to expand and contract with elements such as extreme heat, extreme cold and freeze/thaw cycles.

Also available in limited stock - X-treme Wide PolySweep for joints up to 4" RS-SAND111 - Russett Brown / RS-SAND117 - Grey



### POLYMERIC PLUS (RG+) SAND

RS-SAND028 - Tan / RS-SAND030 - Grey

For Standard Joints - 50 lb/bag, 56 bags/skid (2860 lbs/skid)

A special mix of graded sand and binder specifically formulated for achieving optimum lock-up of pavers or slabs by filling the joints between them. Unlike regular sweeping jointing sand, Polymeric Sand resists insect penetration, weed growth, and erosion. New formulation with half hour setting time. Coverage: Approx. 75 sq. ft./bag Coverage will vary depending on the type/size of stone used. Note: This product is recommended with extra care for use with Copthorne®, Courtstone®, Richcliff®, Town Hall™ and Umbriano® products. Umbriano must have the surface cleaned with a foam squeegee post installation. This product is not suitable for use with Il Campo®, Series 3000® and Unigranite®.



### TECHNISEAL® HP NEXTGEL POLYMERIC SAND NEW FOR 2016

RS-SAND065 Prairie - Tan / RS-SAND064 - Prairie Grey

For Large Joints - 50 lb/bag, 56 bags/skid (2860 lbs/skid)

Designed for paver joints up to a maximum of 1 inch. This paver sand is a high-performance polymer sand - it is the ideal product for heavy traffic and wet areas. Weeds and insects in paver joints is part of the past with this high-end product. This polymer sand is a mixture of graded sand (ASTM C144) and binder. It penetrates easily into joints, ensuring a fast and efficient jointing solution. This easy to use jointing sand will start to harden in minutes after water activation, and it quickly becomes resistant to erosion caused by water (rain, sprinklers and spray). Coverage: 65-85 sq.ft. coverage per bag for narrow joints, larger joints will require more sand.





## EASY-PRO™

RS-SAND066-1 - Tan / RS-SAND068-1 - Black / RS-SAND069-1 - Grey

50 lb container - premixed

Ultimate Paving Stone Joint Compound. Designed for installation in light rain or sun with a surface temperature above 32°F, this pre-mixed epoxy resin product is ideal for residential driveways, patios, pool decks and walkways. It is also permeable. Features: Vacuum packed, pre-mixed and ready to use, eco-friendly (60% renewable products), no haze formulation, for joint widths starting from 1/4" wide and 1 1/4" deep.

Colors: Tan, Black, Grey

Coverage: Approximately 75 sq. ft./container. Coverage will vary depending on the type/size of stone used.

STORAGE: Open product good for 30 day when covered with water.

Note: This product is not suitable for use with Umbriano®, Il Campo®, Series 3000®, Unigranite®, Artline™, Bristol Valley™ and Torino™



## GATOR HP SAND BOND

RS-SAND078 - Beige / RS-SAND079 - Ivory / RS-SAND080 - Slate Grey / RS-SAND114 - Diamond Black

50lb. bags (56 bags/skid)

Wetcast & Natural Stone Joints up to 1"

Supersand Bond is a unique mixture of polymer binders and calibrated sand available in Beige, Slate Grey, Ivory and Diamond Black. The installation of Super Sand Bond is almost identical to using regular paver joint sand, except for the application of water. Once Super Sand Bond sets, it becomes very firm and locks between the paver joints. This firm bond maintains pavers securely in place, being equally effective on both horizontal and sloped surfaces.



## GATOR MAXX BOND

RS-SAND074 - Beige / RS-SAND075 - Slate Grey / RS-SAND108 - Ivory / RS-SAND115 Diamond Black

50lb. bag (56 bags/skid)

For Concrete Paver, Wetcast & Natural Stone Joints up to 1"

Gator Maxx Sand is the first polymeric sand specifically designed for drainage and non-drainage base systems. It can be used with concrete pavers, wetcast and natural stones. It is recommended for a variety of uses, including pool sides, patios, foot paths, driveways, parking spaces, pavements etc. This complete multi-purpose sand is available in four colors: Beige, Slate Grey, Ivory and Diamond Black. It sets above the freezing temperature (32°F / 0°C) and can be used for joints up to a maximum of 1 inch.



## EUROSTONE BOND

RS-SAND097 - Beige / RS-SAND095 - Slate Grey / RS-SAND116 Diamond Black

50lb. bag (56 bags/skid)

For Driveway Aprons Application & Cobblestone Joints up to 3.5cm / 1"

Eurostone Bond is the first polymeric sand specifically designed for drainage and non-drainage base systems. It can be used with natural stones and cobblestone. It is recommended for a variety of uses, including streets, plazas (pedestrian and vehicular traffic) paths, sloping areas, around pools, etc. This complete multi-purpose sand is available in three colors: Beige, Slate Grey and Diamond Black. It sets above the freezing temperature (0°C / 32°F) and can be used for joints up to a maximum of 3.5 cm/ 1".



## GATOR DUST BOND

RS-SAND072 - Beige / RS-SAND073 - Slate Grey

50lb. bag (56 bags/skid)

For Stone Joints 1/2" to 4"

Gator Dust is a unique mixture of polymer binders and calibrated crushed stone available in Sahara Beige or Stone Grey. Once Gator Dust sets, it becomes very firm and locks between the stone joints. This firm bond maintains the stones securely in place equally effectively on both horizontal and sloped surfaces.



## GATOR AQUA ROCK

RS-AGG032 - 50lb. bag (56 bags/skid) / RS-AGG033 (2200 lb. SuperSak)

50lb. bags (56 bags/skid)

For Permeable Paver Joints Graded ASTM NO.9 Granite Stone

Gator Aqua Rock is manufactured to meet ASTM No.9 requirements for permeable paver joint units. The calibrated gradation obtained from the fractured high-strength granite makes it the ideal product for the bedding course & jointing material to collect surface water run-off and help stabilize interlocking paver surfaces.



## SEK PERMEABLE CHIPS

RS-AGG035 - Eclipse Black / RS-AGG036 - Eclipse Black 2500 lb / RS-AGG034 - Sunset Red /

RS-AGG037 - Saturn Tan / RS-AGG040 - Stormy Grey

50lb. bags (56 bags/skid)

The high strength crushed and washed granite meets ASTM No. 9 Stone Specifications for permeable joint filler.

Ensure surface infiltration performance- SEK PermChip is the perfect choice for permeable paving stone installations, both as a bedding course and as a joint filler. SEK PermChip is an extremely hard material, easily withstanding the rigors of freeze/thaw cycles. It will not break down, helping to control the runoff for years to come. The right choice for both residential and commercial applications, including driveways, patios, walkways and parking lots. SEK PermChip comes in four colors: Eclipse Black, Sunset Red, Saturn Tan and Stormy Grey.

## PAVER PULLER



### EZ Puller

RS-TOOL178

- E-Z Puller removes pavers up to 16 inches with the E-Z 16
- No damage to surrounding pavers
- Sealed pavers or Polymeric Sand - no problem, pavers pop right out
- E-Z one man operation, saving time and money
- Great for engraved paver installations

## BASE/DRAINAGE SYSTEMS

### Gator Tile System **NEW FOR 2016**

Contact Unilock for more information.



### Wall Drain Pro **NEW FOR 2016**

RS-ACC086

12 unites/case, 63 cases/pallet

Wall Drain Pro is a simpler, more effective wall drain than you've ever used before.


- Easy Installation
- Aesthetically Pleasing
- Integral Component of Wall Construction
- Customizable Height
- Works with Block or Timber Walls

## EDGE RESTRAINTS

### SnapEdge - One-Piece Edging That Does It All!

RS-EDG001

- Only one part required for straight runs or curved installations.
- Built-in connector fastens one piece to the next - convenient 96" size, makes them easy to transport.
- Unique 'Snip and Flex' feature speeds installations of curves and corners without pre-planning.
- The open design allows a root system to grow through SnapEdge, further reinforcing the installation.
- Engineered to provide a strong, easy-to-install edge restraint for concrete/clay pavers.
- Nail hole bosses are full-length cylinders. Hammer blows will not fracture or force nail heads through edging.



Product Information:

8' (96") length pcs.

Sidewall: 1 7/8"

Pieces per Pallet: 672 (5,376 In. ft.)

Pieces per Bundle: 24 (192 In. ft.)

Bundles per Pallet: 28

Pallet Weight: 1395 lbs.

Pallet Size: 98" l x 48"w x 50" h

### PermEdge Permeable Paver Edging

RS-EDG033

- Designed specifically for permeable pavement with open graded base material.
- Holds pavement edges securely in place.
- Does straight and curved edges.



Product Information:

8' (96") length pcs.

Weight per Unit: 2.5 lbs.

Pieces per Pallet: 64 (72 In. ft.)

Freight Class: 300

Pallet Weight: 210 lbs.

Pallet Size: 98" l x 48"w x 50" h

# ACCESSORY QUICK REFERENCE GUIDE

## CLEANERS

RS-CLN002	UNICARE EFFLORESCENCE REMOVER - 1 GAL.
RS-CLN007	UNICARE PAINT, TAR & RUBBER REMOVER - 1 QUART.
RS-CLN012	UNICARE RUST REMOVER PAVER CLEANER - 1 QUART.
<b>RS-CLN016</b>	<b>TECHNISEAL PRO REMOVER FOR SOLVENT BASED SEALERS (PTR 5 GAL/ STRIPPER) - Special Order</b>
RS-CLN043	BP PRO ECO-NEW CONCENTRATE CLEANER - 1 GAL. - Special Order
RS-CLN044	TECHNISEAL PROSERIES PAVER RESTORER - 1 GAL.

## WET LOOK SOLVENT BASED SEALERS

<b>WL4 TECHNISEAL WET LOOK - PAVER PROTECTOR GLOSS FINISHERS</b>	
1 GAL.: RS-SEAL001 (4 /CASE)	— 5 GAL.: RS-SEAL073 (51 LBS/PAIL) — 55 GAL.: RS-SEAL003 (520 LBS/DRUM)
<b>BP PRO WETLOOK STABILIZING</b>	
1 GAL.: RS-SEAL078 (4/CASE)	— 5 GAL.: RS-SEAL079 (40LBS/PAIL) — 55 GAL.: RS-SEAL080 (418LBS/DRUM)
<b>WL5 TECHNISEAL PROSERIES WETLOOK RECOATER PAVER PROTECTOR GLOSS FINISH</b>	
1 GAL.: RS-SEAL113 (4/CASE)	— 5 GAL.: RS-SEAL096 (51LBS/PAIL) — 55 GAL.: RS-SEAL003 (548 LBS/DRUM)
<b>SUREBOND SB-8700 WET-LOOK JOINT STABILIZING SEALER WITH ANTI-FUNGAL</b>	
1 GAL.: RS-SEAL151 (4/CASE)	— 5 GAL.: RS-SEAL152

## WATERBASED SEALERS AND ACCESSORIES

<b>BP PRO NATURAL JOINT STABILIZING SEALER</b>	
1 GAL.: RS-SEAL045	— 5 GAL.: RS-SEAL046
<b>BP PRO PAVER ENHANCER STABILIZING SEALER</b>	
1 GAL.: RS-SEAL042	— 5 GAL.: RS-SEAL043 — 55 GAL.: RS-SEAL044
<b>SUREBOND SB-1300 JOINT SAND STABILIZER SEALER</b>	
1 GAL.: RS-SEAL037	— 5 GAL.: RS-SEAL036 — 55 GAL.: RS-SEAL038

## ADHESIVE & CAULK

RS-ADH009-1	SB-10 ADHESIVE 10OZ. (12/CASE - 140C./SKID)
RS-ADH015-1	SB-10 ADHESIVE 28OZ. (12/CASE - 60C./SKID)
RS-ADH039	XP GATOR BLOCK ADHESIVE 10.3 OZ. (12/CASE - 90C./SKID) *SOLD BY CASES ONLY*
RS-ADH040	XP GATOR BLOCK ADHESIVE 28 OZ. (12/CASE - 60C./SKID) *SOLD BY CASES ONLY*
RS-TOOL201	SHERWIN WILLIAMS POWERHOUSE - TAN (12/CASE)
RS-TOOL202	WL ULTRA 3006 CAULK 10 PZ. - GREY (12/CASE)

## SANDS

<b>SEK JOINTING SAND 50# BAGS (56 BAGS/SKID)</b>	
RS SAND001 - 1	
<b>TECHNISEAL RG+ - POLYMERIC SAND - 50# BAGS (56 BAGS/SKID)</b>	
PRAIRIE TAN: RS-SAND028 — PRAIRIE GREY: RS-SAND030	
<b>TECHNISEAL HP NEXTGEL - POLYMERIC SAND - 50# BAGS (56 BAGS/SKID)</b>	
PRAIRIE GREY: RS-SAND130 — PRAIRIE TAN: RS-SAND131	
<b>SEK - POLYSWEEP SAND 50# BAGS (56 BAGS/SKID)</b>	
TAN: RS-SAND045 — GRAY: RS-SAND046	
<b>SEK - X-TREME WIDE JOINT SAND (56 BAGS/SKID)</b>	
<b>RUSSET BROWN: RS-SAND111 — GREY: RS-SAND117 - Special Order</b>	
<b>ALLIANCE - SUPERSAND HP 50# BAGS (56 BAGS/SKID)</b>	
IVORY: RS-SAND079 — BEIGE: RS-SAND078 — SLATE GREY: RS-SAND080 — BLACK DIAMOND: RS-SAND114	
<b>ALLIANCE - GATOR DUST BOND (56 BAGS/SKID)</b>	
SAHARA BEIGE: RS-SAND072 — STONE GREY: RS-SAND073	
<b>ALLIANCE - GATOR MAXX BOND 50# BAGS (56 BAGS/SKID)</b>	
IVORY: RS-SAND108 — BEIGE: RS-SAND074 — SLATE GREY: RS-SAND075 — BLACK DIAMOND: RS-SAND115	
<b>ALLIANCE - EUROSTONE BOND (56 BAGS/SKID)</b>	
IVORY: RS-SAND132 — BEIGE: RS-SAND097 — SLATE GREY: RS-SAND095 — BLACK DIAMOND: RS-SAND116	
<b>UNILOCK EASY PRO PREMIXED JOINT STABILIZING COMPOUND 50# CONTAINER (36 PAILS/SKID)</b>	
TAN: RS-SAND066-1 — BLACK: RS-SAND068-1 — GREY: RS-SAND069-1	

## PERMEABLE GRANITE CHIPS - ASTM NO. 9 (2-5mm)

<b>SEK PERM CHIPS - 50# BAGS</b>	
ECLIPSE BLACK: RS-AGG035 — <b>SUNSET RED: RS-AGG034 — SATURN TAN: RS-AGG037 — STORMY GREY: RS-AGG040 - Special Order</b>	
<b>SEK PERM CHIPS - 2500# SUPERSAK</b>	
ECLIPSE BLACK: RS-AGG036 — <b>SUNSET RED: RS-AGG038 — SATURN TAN: RS-AGG039 — STORMY GREY: RS-AGG041 - Special Order</b>	
<b>ALLIANCE GATOR AQUA ROCK - GRANITE GREY</b>	
50#: RS-AGG032 — 2200# BAG: FS-RS-AGG033	

## BASE & DRAINAGE SYSTEMS

RS-ACCO086	WALL DRAIN PRO (12/CASE - 63C./SKID)
------------	--------------------------------------

## EDGING & SPIKES

RS-EDGE001	SEK - SNAP EDGE - 8 FT PCS. (24PCS/Bnd 28Bnd/SKID)
RS-EDGE033	SEK - SNAP EDGE - PERMEABLE 8FT PCS.
RS-EDGE014	10" SPIKES (APPROX. 150/BOX)

**NOTE: Red bold Italics are all Special Order.**



## CALCULATIONS

### AREA OF A CIRCLE

Radius (in.)	18	21	24	27	30	33	36	39	42	45	48	51	54	57
Radius (ft.)	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.235	4.50	4.75
Square Feet	7.07	9.62	12.56	15.90	19.63	23.75	28.26	33.17	38.47	44.16	50.24	56.72	63.59	70.85
Circumference (in.)	113.04	131.88	150.72	169.56	188.40	207.24	226.08	244.92	263.76	282.60	301.44	320.28	339.12	357.96
Circumference (Ft.)	9.42	10.99	12.56	14.13	15.70	17.27	18.84	20.41	21.98	23.55	25.12	26.69	28.26	29.83
Area of a circle = 3.14 x Radius x Radius														
Circumference = 6.28 x Radius														

### AREA CONVERSION CHART

Square Feet	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Square Meter	0.09	0.19	0.28	0.39	0.46	0.56	0.65	0.74	0.84	0.93	1.02	1.11	1.21	1.30
Square Meter	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Square Feet	10.76	21.53	32.29	43.06	53.82	64.58	75.35	86.11	96.88	107.64	118.40	129.17	139.93	150.69
Cubic Yard	1	2	3	4	5	6	7	8	9	10	11	12	13	14
Cubic Feet	27	54	81	108	135	162	189	216	243	270	297	324	351	378

Area Square = Length x Width

Area Triangle = 1/2 Base x Height

Calculation charts and formulas are provided as a service by Unilock for estimating material requirements. Unilock will not be held responsible in any way for resulting product overage or shortage.

## SEALER BEST PRACTICES

- The paver surface should be **clean** and free from oil, dirt, dust and any loose material. This ensures a uniform result and allows the sealer to better penetrate the surface.
- The pavers should be **free of any visible efflorescence**.
- If pavers have been sealed before, make sure to reseat with compatible product.
- **Surface must be dry** (48 hours without precipitation) and warm to the touch (morning).
- Joint sand must also be dry.
- Make sure lawn sprinklers are shut off.
- Best air temperature is between **50 degrees to 80 degrees** with no rain forecasted for the next 24 hours.
- It is best to apply product under constant weather conditions and use the **same application method from start to finish**.
- The paver joints should be completely filled with dry correctly-graded joint sand. The top level should not exceed the bottom of the chamfer or **1/8" below** the surface on the non-beveled or tumbled paver surface.
- **Always test the product** on a small hidden area to ensure the results will meet your expectations.
- Always show homeowners samples to ensure expectations.

**At this point read all sealer instructions and determine the best sealer for your desired goal. Do you want to retain the original look, enhance the color, or stabilize the sand joint?**

- **Read application information** as each sealer can be applied differently.
- **Make sure you have the correct equipment based on type of sealer. Solvent based sealers need solvent resistant sprayers, watering cans or paint trays.** Water base sealers can be generally applied using plastic equipment. Example: solvent based sealers come in metal containers and water based sealers come in plastic containers.
- Care should be taken that no excess sealer material is pooled on the surface during application always back roll. When using solvent based sealers make sure roller is solvent resistant or for all paints. Foam rollers work best and are less likely to pull sand from the joints.
- Stabilizing sealers are generally sprayed or flood coated with a watering can, then back rolled.
- Acrylic non-stabilizing sealers can be sprayed, then back rolled or rolled on using a metal paint tray.
- **Send your most experienced worker to do sealing projects.**

## Easy-Pro™ BEST PRACTICES

- Ensure installed pavers or stone slabs meet ¼" joint width requirement and 1 ¼ depth requirement
- Ensure that paver surface has **proper drainage runoff** (Min 1" over 8'). Finished paver height should always be higher than grade to allow proper surface runoff.
- **Do not set pavers in bedding course of Limestone screenings.** This product holds moisture, and does not meet the gradation, drainage qualities or strength of coarse concrete sand or permeable chips.
- **Easy-Pro should not be used on non-drainable bases. Example: pavers directly over concrete.** Paver installations consisting of bases made of local road mix (CA6) and coarse sand bedding are considered drainable bases and are OK.
- Easy-Pro however installs and **works best on permeable bases.** Permeable bases for residential pedestrian use generally consist of a base layer of 0.75" crushed, angular, open-graded base material (CA-7) with a bedding course of 0.25" crushed, angular, chip stone (CA-16), instead of sand.
- **Before using Easy-Pro for any residential driveway applications, consult your Unilock Territory Manager.**
- **Compact pavers** first into setting bed to create proper interlock.
- Read and review all Easy Pro manufacturer methods of application. **(Read Directions)**
- Make sure pavers are **clean of all construction dust.** Residual construction dust will haze pavers. A power washer or Unilock cleaners can be used to clean the surface. Make sure construction boots are clean of dirt and dust. Tracking dirt and dust over the installation will embed dirt and dust in the products resin residue during the install.
- Paver surface must be **pre wet before application** of Easy-Pro. Not pre wetting surface could cause spotting or blotching and will slow down the speed of installation.
- Distribute pails of Easy-Pro over paver area. **Stage pails** in areas of coverage. Example: one pail for every 50 square feet.
- **1<sup>st</sup> coat application;** cut sealed bag, spread sand evenly in small amounts. Use rubber squeegee to distribute material. **Fill up only half of joint depth.**
- Rinse material into joint. Water should be used to compress the Easy-Pro in the joint.
- **2<sup>nd</sup> coat application;** spread sand evenly in small amounts. Use rubber squeegee and water to distribute and compress material into joints
- Joints must be filled up to the bottom of the paver chamfer, or approximately 1/8" below the top of the pavers.
- **Remove any excess sand** from the paver surface with a fine bristle push broom.
- **Excess sand can be saved and reused.** Just place sand in plastic bail and cover with water. The water level should be 1" over the surface of the sand so air can't get to the Easy Pro.
- Follow up using a fine bristle whisk broom **removing any small excess sand particles** from the paver surface.
- Rope off area and let cure for 24 hours.
- Do not seal Easy-Pro installs until all resin has worn off the surface naturally. It is important to remember the resin is a natural protector of the surface and waiting to seal should not be a concern. If sealing is a must it should be done prior to the Easy-Pro install and 100 % cured before applying the Easy-Pro sand.

## POLYSAND BEST PRACTICES

- Ensure that paver surface has **proper drainage runoff** (Min 1" over 8'). Finished paver height should always be higher than grade to allow proper surface drainage.
- **Do not set pavers in limestone screenings.** This product holds moisture and does not meet the gradation, drainage qualities or strength of coarse concrete sand.
- Make sure pavers are **clean of all construction dust.** Residual construction dust will haze pavers!
- **Compact pavers** into setting bed to create proper interlock.
- Read and review all polysand manufactures methods of application. **(Read Directions)**
- **Don't rush polysand installation.**
- **Paver area must be completely dry.**
- Lay bags of polysand over paver area. **Stage bags** in areas of coverage. Example: one bag for 60 square feet.
- **Do not over sweep sand.** Sweep sand back and forth within coverage area to fill paver joints.
- **Compact sand into joints.** This is a must in achieving proper density of the sand joint (repeat 3 times). Compaction is critical to assuring sand strength.
- Do not fill sand above the chamfer of paver. Sand should sit 1/8" below bottom of chamfer.
- Using a fine-bristle broom **remove any excess sand** from the paver surface.
- Using a **leaf blower** remove any sand or binder residue.
- **Stop**
- **Review all watering directions (Each manufacture has different watering instructions.) This is VERY IMPORTANT!**
- Always start watering at the **bottom of the slope.**
- Always start watering in **controlled areas** per manufacturers recommendations. Example: complete watering in 200 sq. ft. area then move on to the next 200 sq. ft. and repeat.
- During final watering of poly sand, **clean surface by removing excess water** with leaf blower or squeegee depending on paver surface texture. This will remove any leftover binder residue or sand.
- Final thoughts – Always be aware of the weather when installing poly sand. **(Temperature and setting time ratings differ between products.)**
- Refer to all manufactures websites for installation videos.

## TERMS AND CONDITIONS OF SALE

1. All orders are accepted subject to prevailing state or other taxes, and subject to the cost of freight applying at the time of shipment.
2. The acceptance by the seller of an order shall constitute a binding contract of purchase and sale, in accordance with the terms set out in this agreement.
3. These terms and conditions together with the purchase order form the complete contract, and there are no representations, warranties, or conditions expressed or implied affecting this contract, other than as contained herein.
4. All sales are made in accordance with the seller's samples, which the purchaser has seen and approved. No guarantee of exact color shades is made.
5. Delays incurred on delivery in excess of one hour will be billed to the purchaser at \$80 per hour or fraction thereof. Similarly, delays incurred on partial delivery (1-7 bundles) in excess of one half hour, will be billed to the purchaser at the same rate.
6. Use of any delivered materials by or on behalf of the purchaser shall be deemed to constitute acceptance of the materials by the purchaser.
7. Excessive defective material picked up or delivered to the purchaser will be replaced free of charge if a claim is made within five days. Free replacement will be the extent of the seller's warranty. Any such claim will not constitute a reason for delaying payment. All other claims must be submitted within 30 days of purchase.
8. Unsuitable or unsatisfactory materials must be available for inspection by the seller, to entitle the purchaser to any adjustment or credit.
9. No materials may be returned for credit except with the written consent of the seller, whether such materials were ordered in excess of the purchaser's requirement, by mistake, or otherwise. ACCESSORIES, SECTIONS AND OPENED MATERIAL ARE NON-RETURNABLE FOR ANY REASON.
10. Where the seller agrees to accept the return of goods, these goods are subject to freight charges and a restocking charge of 20% of their value plus delivery.
11. \*\*\*\*Effective January 1st, 2016\*\*\*\* All custom produced product must be shipped within 30 days of the receipt of the order. After 30 days, all custom produced material will be subject to a storage fee of \$5.00 per pallet per month. Please contact your Territory Manager for more information.
12. Seller does not accept responsibility for delays in deliveries due to fire, flood, strikes, or any other condition or contingencies beyond its control.
13. The purchaser is responsible for installation of the materials on the job site, and the seller has no responsibilities in this regard.
14. All C.O.D. orders must be paid by certified check, cash, or prior approved check.
15. All approved credit accounts are payable within thirty days from the date of invoice. After 30 days, interest will be charged at 1.5% per month (A.P.R. 19.65%), calculated monthly on the balance owing at the beginning of the period. If purchaser defaults in the payment of any portion of amounts due on this account, the entire remaining unpaid balance shall, at the option of the seller, immediately become due and payable.
16. Skid deposits are non-refundable with 2 or more broken top boards or one main stringer board. If you should have skids loaded onto your vehicle or receive a delivery with skids in this condition, you must have the Unilock representative (loader or truck driver) note the quantity on the shipping document paperwork.
17. Title and ownership of the goods shall not pass to the purchaser until the entire amount owing; including interest is paid in full.

### ADDITIONAL INFORMATION

1. All prices are F.O.B. Aurora, Illinois (make reference to freight price sheet).
2. Phone shipping desk for schedules, rates, and conditions.
3. Configurations may vary from time to time due to mold design changes.
4. Sectioning charge is \$20.00 per bundle.
5. There is a \$16.00 charge per standard and LTD shipping skids, \$15.00 of which is refundable when returned in good condition (\$1.00 usage fee).
6. There is a \$25.00 charge for all Stonemark™ and Ledgestone™ product pallets, \$24.00 of which is refundable when returned in good condition (\$1.00 usage fee). Stonemark products include Rivenstone™, Torino™ & Yorkstone™.

CONFIRM PRICES, AS THEY ARE SUBJECT TO CHANGE.

## 2016 FREIGHT RATES

# of Bundles	Boom	Princeton
1 to 7	\$295.00	\$330.00
8	\$325.00	\$355.00
9	\$345.00	\$400.00
10	\$405.00	\$445.00
11 to 14	\$415.00	\$460.00

Rates are based on a 0-50 mile radius (around each location). Please contact the shipping department for questions concerning delivery, including rates outside of the 50 mile radius. Approximately 14 bundles or 43,000 pounds per truckload. Delays incurred on delivery in excess of one hour will be billed to the purchaser at \$80 per hour or a fraction thereof. Partial load deliveries in excess of one-half hour will be billed to the purchaser at the same rate.

Based on the US National Average for the Midwest Rates

Cost of Fuel	Flat Surcharge
\$2.30 to \$2.79	\$27.00
\$2.80 to \$3.29	\$42.00
\$3.30 to \$3.79	\$51.00
\$3.80 to \$4.29	\$64.00
\$4.30 to \$4.79	\$78.00
\$4.80 to \$5.29	\$93.00
\$5.30 to \$5.79	\$106.00

Fuel Surcharge for 0-50 miles only

At Least	Less Than	Fuel Surcharge
2.30	2.79	5%
2.80	3.29	10%
3.30	3.79	15%
3.80	4.29	20%
4.30	4.79	25%
4.80	5.29	30%
5.30	5.79	35%

Fuel Surcharge for deliveries over 50 miles

NOTE: Rates are based on current economic conditions and are subject to fuel surcharges, which will be based on the U.S. National Average Midwest rate of diesel fuel, calculated weekly. When the average price of fuel rises (or drops), the surcharge will take effect the following Monday. These rates can be located at [www.tonto.eia.doe.gov/oog/info/wohdp/diesel.asp](http://www.tonto.eia.doe.gov/oog/info/wohdp/diesel.asp).



## IMPORTANT NOTES

### UNILOCK PAVER PATTERNS

This Product Data Guide contains an extensive reference to patterns and designs. The purpose of these pattern swatches is to help the designer plan unique and exceptional designs. The percentages of products shown are based on the pattern and not on bundle configurations. In fact, there may be situations in which a pattern has been created with one particular size of stone, but that stone only comes packaged with two other sizes. This means that the designer will have to plan how the other components are used in the overall plan. This is usually accomplished by adding a border or an accent. As a result, overages or shortages may occur in certain patterns. The designer and/or installer of Unilock products accepts all responsibility for design and all associated costs incurred as a result of applying any of Unilock's suggested design patterns in a project. Please plan your project and review your order carefully prior to ordering.

### TRANSFERABLE LIFETIME GUARANTEE

Unilock provides a Transferable Lifetime Guarantee\* on the structural integrity of our paving stones, slabs and retaining wall units to the original purchaser of the product for residential use. Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Color matching cannot be guaranteed and replacement labor is not included. Proof of purchase is required.

Excessive defective material (over the industry accepted normal of 2% for non-tumbled unit pavers) delivered to the purchaser will be replaced free of charge if a written claim is made within 5 days of delivery from the manufacturer. Such claims will not constitute reason for delaying payment. All goods shall be deemed accepted if completely installed. Inspect concrete products prior to opening bundle packaging to ensure that shape and color are as ordered. Unsatisfactory material must be available for inspection by Unilock to entitle the purchaser to any adjustment or credit. Inspect all concrete units during installation and set aside any which are chipped or cracked to use for any cut pieces required. The color of concrete products may vary significantly between production lots. Always install concrete units from several bundles simultaneously to ensure proper distribution of color. Prior to final compaction, inspect installed pavers for good color distribution. Relocate certain pavers, if necessary, to achieve desired color blend.

\*Transferable Lifetime Guarantee: Register your project within 60 days of your dated proof of purchase to ensure your Unilock Guarantee is fully transferable! Simply go online at [unilock.com](http://unilock.com) and follow instructions. Once processed, you will receive an original Transferable Warranty Certificate for your records.

### PRODUCT HANDLING WARNING

*Bundle Straps Under Tension - Use extreme caution when removing or handling straps.* Always wear gloves, goggles, safety footwear, and protective clothing when removing or handling straps. Failure to do so may result in serious bodily injury or loss of sight. Cut all concrete products only in well ventilated areas. Inhalation of dust is a serious health risk. A "NIOSH" (US) or a "CSA" (CDN) approved respirator, safety goggles, hearing protectors, and gloves must be worn at all times. Always "wet-cut" or "wet grind" concrete products to minimize dust.

Do not stack bundled concrete products higher than 2 bundles high. Contents of the bundle may be unstable and subject to topple when stacked. Always use extreme caution and appropriate equipment when transporting or storing bundled concrete products. Failure to do so may result in serious bodily injury or death. Always obey gross vehicle weight (GVW) loading limitations and regulations.

Hazard Rating: Fire 0, Health 1, Reactivity 0. See SDS Concrete Masonry (Pavers). Contact Unilock for complete sheet or view safety information at [www.unilock.com](http://www.unilock.com)

*Unilock assumes no liability or responsibility for loss or damage, resulting from the improper use or handling of our products, or from failure to follow instructions, warnings, and/or advisories on the product label, and on the SDS sheet.*

Umbriano® is a trademark of Metten Stein + Design GmbH & Co KG used under license by Unilock.

By permission of Ceramiche Caesar S.p.A., Via Canaletto 49, 41040 Spezzano di Fiorano (MO), Italy, which is the sole proprietor of the trademark and some images in this catalog. Fairstone™ is a trademark of Marshalls PLC.

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Measurements throughout this portfolio are nominal.

\*Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.

Not all products shown are available at all Unilock locations. Log on to [www.unilock.com](http://www.unilock.com) for availability.

## IMPORTANT NOTICE

### IMPORTANT NOTICE

1. **DO NOT USE** Polymeric Jointing Sand on the following products:

Series 3000\*

Il Campo\*

Unigranite\*

*If joint stabilization is required, use ordinary jointing sand and apply a stabilizing sealer. Contact your local Unilock office for recommended sealants and application specifics.*

2. **EXTRA CARE** must be exercised when using Polymeric Sand on the following products:

Courtstone\*

Copthorne\*

Richcliff\*

Richcliff XL

Senzo™

Town Hall™

Umbriano\*

Unilock's Polymeric Jointing Sand can be used on these products but the fine polymers and binders in Unilock Polymeric Jointing Sand have a natural tendency to adhere to the surface and therefore extra diligence must be taken to pre-clean the surface prior to "wetting the sand in" and squeegee off the surface post application. Failure to do so will result in a "whitish haze" on the surface that is difficult to remove.

3. **IMPORTANT COMPACTION NOTICE:** Always pre-compact the pavers WITHOUT SAND IN THE JOINTS. This will facilitate proper leveling. Polymeric sand can then be swept into the joints. *Always use a compactor with a protective membrane attached to the bottom of the plate.*

*Unilock Polymeric Jointing Sand, cleaners and sealers, must always be applied by a trained and experienced professional. Contact your local Unilock office for training and the most up-to-date best practices.*

NOTICE: Unilock does not accept any responsibility for damage to the surface caused by the improper application and use of Unilock polymeric sand, sealers or cleaners.

## COLOR BLEND DESCRIPTIONS

COLOR NAME	DESCRIPTION	COLOR NAME	DESCRIPTION
Almond Grove	Tan, Natural and Charcoal	Honey Gold	Gold with Brown Veining
Alpine Grey	Natural, Buff and Charcoal	Limestone	Light Grey, Charcoal and Natural
Autumn Red	Red, Buff and Charcoal	Iron River	White and Grey with Rust Veining
Autumn Sunset	Salmon with Brown Flake	Midnight Sky	Charcoal with Black Flake
Basalt	Blue-Black	Mineral Ice Grey	Fine Black and White Granite
Bavarian Blend	Brown, Cream and Charcoal	Mocha Brown	Brown and Red Granite
Belgian Blue	Blue-Grey	Nevada	Chamois and Natural
Bluestone	Blue with Black and Brown Veining	Nuvola	Dark Charcoal and Light Grey
Burgundy Red	Plum with Red	Oakwood	Dark Brown, Light Brown and Buff
Burnt Clay	Brown with Red	Old Oak	Rust with Red
Canyon	Plum, Yellow-Brown	Onyx Black	Dark Charcoal with Black Granite
Castano	Dark Brown and Burnt Brown Blend	Pebble Taupe	Tan and Brown
Charleston	Plum, Charcoal and Sand	Prairie	Lt. Brown, Lt. Buff and Lt. Salmon
Coastal Slate	Grey and Tan	River	Buff, Natural and Charcoal
Coffee Creek	Yellow, Rose and Charcoal	Rustic Red	Red and Charcoal
Copper Ridge	Copper and Buff	Sahara	Cream and Light Buff
Cremo	Cream and Buff	Sandalwood	Brown and Buff
Dawn Mist	Grey and Tan	Shadow Creek	Burgundy, Grey and Buff
Fieldstone	Dark Gold, Buff & Charcoal	Sierra	Brown, Sandstone and Charcoal
Golden Tan	Dark Brown, Light Brown with White Granite	Steel Mountain	Grey and Cream
Granite	Charcoal and Natural	Summer Wheat	Cream White with Yellow and Light Grey Flake
Heritage Brown	Dark Brown and Salmon	Sycamore	Brown, Buff and Charcoal
Heritage Clay	Burnt Clay and Basalt	Winter Marvel	White with Black Flake
Heritage Red	Burgundy Red and Basalt		

# PRODUCT DIRECTORY

## Unit Pavers

Product	Page	Finish	Pedestrian	Residential Vehicular	Commercial Vehicular	Environmental	For Borders & Accents
Ada Paver™	2	S	✓				
Anchorlock®	2	S			✓		
Artline™	3	M	✓	✓			
Avante Ashlar™	4	F	✓	✓			
Beacon Hill Flagstone™	4	F	✓				
Bristol Valley™	5	F	✓				
Brussels Block®	6	W	✓	✓			✓
Brussels Premier™	6	W	✓	✓			✓
Camelot™	7	S	✓	✓			✓
Cophorne®	7	T	✓	✓			✓
Courtstone®	8	C	✓	✓			✓
Eco-Line®	9	S	✓	✓	✓	✓	✓
Eco-Optiloc™	9	S	✓	✓	✓	✓	
Eco-Priora™	10	M	✓	✓	✓	✓	
Eco-Promenade™	11	M	✓	✓	✓	✓	
Holland Premier™	12	S	✓	✓	✓		✓
Hollandstone™	12	S	✓	✓	✓		✓
Il Campo®	13	B	✓	✓	✓		✓
Natural Stone	14	SM	✓				
Olde Greenwich Cobble®	15	D	✓	✓	✓		✓
Optiloc®	15	S	✓	✓	✓		
Porcelain	16	SM	✓				
Promenade Paver™	17	M	✓	✓	✓		✓
Richcliff®	17	F	✓	✓			✓
Richcliff XL	18	F	✓	✓			
Rivenstone™	18	F	✓				
Senzo™	19	SZ	✓	✓	✓		✓
Series 3000®	20	WS	✓	✓	✓		✓
Stonehenge®	21	DW	✓	✓			✓
Thornbury™	21	F	✓	✓	✓	✓	
Torino™	22	F	✓				
Town Hall™	22	T	✓	✓	✓	✓	✓
Trevia™	23	F	✓				
Turfstone™	23	S		✓		✓	
Umbriano® 6cm	24	SZ	✓	✓			✓
Umbriano® 7cm	24	SZ	✓	✓	✓		✓
Unigranite®	25	SP	✓	✓			✓
Yorkstone™	25	F	✓				
Westport™	26	T	✓	✓			✓

## Retaining Walls

Product	Page	Finish	Gardens	Retaining Walls	Steps	Seat walls	Pillars
Belmuro Wall™	27	SM	✓	✓	✓	✓	✓
Brussels Dimensional Stone®	28	W	✓	✓	✓	✓	✓
DuraHold®	30	S		✓			
Estate Wall®	31	SP/W	✓	✓	✓	✓	✓
Lineo™ Dimensional Stone	33	SM	✓		✓	✓	✓
Olde Quarry®	34	W	✓	✓	✓	✓	✓
Pisa2®	35	SP	✓	✓	✓	✓	✓
Rivercrest® Wall	36	F	✓		✓	✓	✓
SienaStone®	38	SP		✓	✓		

Finishes: B=Brushed; C=Cobblestone; D=Dimpled; DW=Dimpled and Weathered; F=Flagstone; S=Standard; SM=Smooth; SZ=Smooth Zero Bevel; SP=Split; SP/W=Split and Weathered; T=Timeworn; W=Weathered; WS=Washed; M=Multiple Finishes available

This application chart should only be used as a guide. Site conditions, base materials, pattern, and frequency of use may vary the performance of various types and styles of products.





UNILOCK.COM | 1-800-UNILOCK

---

BOSTON  
(508) 278-4536

CLEVELAND  
(330) 927-4000

NEW YORK  
(845) 278-6700

BUFFALO  
(716) 822-6074

DETROIT  
(248) 437-7037

TORONTO  
(416) 646-9000

**CHICAGO**  
(630) 892-9191

**MILWAUKEE**  
(262) 742-3890